

# CATALOG & PRICE LIST

#### TABLES BASES & ACCESSORIES

Effective August 15, 2022



#### PRICING & FREIGHT NOTIFICATIONS

#### **Pricing Disclaimer**

Although the information in this Price List is presented in good faith and believed to be correct at the time of publication, Special-T has no liability for any errors or omissions. Also, please note that all prices are subject to change.

Special-T shall have the right to refuse or cancel any order placed for a product listed at the incorrect price. If an item's correct price is lower than our stated price, we will charge the lower amount and ship the item.

If an item's correct price is higher than our stated price, we will notify the price error for review and extend an opportunity to purchase the item at the correct price.

#### **Freight Notifications**

#### Minimum Freight Fee

FOB: Destination on table orders over 5,000 List.

195 freight fee on orders less than 5,000 List (Prepaid & Add) | Dock-to-Dock delivery.

Patriot Electric & Liberty Electric Bases Only QTY:1-3 55 each | 4-15 33 each | 16-50 27 each | 51+16 each FOB: Alpharetta, GA; PPD & ADD | Dock-to-Dock delivery.

#### Shipments Outside Continental U.S.

Qualified Freight Prepaid orders with final destination outside Continental U.S. will ship to the Freight Forwarder or Port of Embarkation within the 48 contiguous states. Shipments from Freight Forwarder/Port of Embarkation will ship FOB: Origin to final destination.

#### Oversize Fee

All LTL shipments for pallets 8' and over 96"-108" - additional 250.00 109" -168" - additional 350.00 Per custom pallet

# TABLE BASES & ACCESSORIES CATALOG

For more than 20 years, Special-T has been manufacturing the industry's largest selection of tables and table accessories. Our customers include office furniture dealers, table manufacturers, and re-manufacturers. We provide products that are in demand, competitively priced, and exceed customer expectations of quality. We ship on time, ensure that orders arrive undamaged, and attribute our success to stellar customer service, high-quality products, and a comprehensive and easy-to-use online configurator at www.SpecialT.net

#### PURPOSE STATEMENT

Our goal is to develop long-term, mutually beneficial relationships using the highest level of values, ethics, and unique products.

Let us help you by:

- Putting profit back into your projects
- Solving problems with creative solutions
- Utilizing 'A' Grade tables and bases


#### PRODUCT IN STOCK READY TO SHIP | ENDLESS OPTIONS





#### SAME DAY SHIPPING

24-hour turn-around time | Over 300,000 bases in stock You're never late on quick turn-around projects



SPECIAL-T'S
CUSTOMER SERVICE TEAM
IS WAITING FOR YOUR CALL

- Personal attention
- Honesty, integrity
- We follow through
- We do what we promise



MORE
CHOICES AND CUSTOMIZATION
OPTIONS


- Highest quality powder-coating finishes
- 20 standard industry colors
- Stainless Steel & Cast Iron (on some models)
- Custom heights



### CONFIGURE & PRICE ONLINE

Specify quotes and purchase in a matter of just minutes. Special-T's proprietary configurator software is one of the first to be introduced into the office furniture industry. An easy-to-use interface walks the user through the various stages of the table specifying process, allowing them to customize any of Special-T's products in a simple, quick, and error-free manner.

- Visit SpecialT.net
- Go to the "Bases and Accessories" tab
- Apply filters to select the desired base and options
- Call (888) 705-0777 with any questions





### TABLE BASES & ACCESSORIES

CATALOG & PRICE LIST | Effective August 15, 2022

Stainless Steel Round Base 08 Stainless Steel Square Base 09 Stainless Steel Bolt Down Leg 10 Stainless Steel Post Leg 11
CAST IRON 2.0 Cast Iron 2.0 X and T Bases 12 Cast Iron 2.0 Round Base 14
CONTEMPORARY Triangular Bases. 16
ARCHED Arched Single Column T-Legs
POST Single Column Post Legs 21 1.5" Post Legs 22 Square Post Leg 23 Reveal Leg 24 Bolt Down Leg 25
TRADITIONAL  Bolted Single Column T-Legs
SIENNA SERIESSienna Round and Square Bases47Sienna X-Bases49Sienna Café Power Bases51Sienna Rectangle Base53Sienna T-Leg and C-Leg54





### TABLE BASES & ACCESSORIES

# CATALOG & PRICE LIST | Effective August 15, 2022

STRUCTURE SERIES         Square End Base       56         Square H-Leg       57         Structure T-Leg and C-Leg       58         Structure Post Leg       59         Structure 4X-Base       60         Structure Cube       62
ADJUSTABLE HEIGHT Spring Clip Height Adjustable Bases
FOLDING Folding Legs
FLIP & NESTKingston Flip Base69Convertible Base71Transform-2 Base72
ACCESSORIES Casters & Glides
TOPS 1-Day Tops83
FINISHES Metal Finishes 84 Patriot Metal Finishes 85
Important Information

### STAINLESS STEEL ROUND BASE

The stainless steel Round Base is composed of 304-grade stainless steel. The high quality, beautiful finish, and style make this base perfect for office, restaurant, and hospitality applications.

#### FEATURES

UNIT HEIGHT: 27.75"

40.75"

SSP720-RB is available only in 27.75" height

MOUNTING PLATE: 13.75" x 13.75" square pressed steel

COLUMN: 3" diameter; 1.5 mm thick; 304-grade stainless steel

FLOOR PLATE: 17-23/32" x 17-23/32"

22-27/32" x 22-27/32" 28-23/64" x 28-23/64"

Cover plate is 1mm thick 304-grade Sunray Brushed Stainless Steel

LEVELING GLIDES: 3/4" diameter plastic for leveling on uneven floors

FINISH: Brushed Stainless Steel

METHOD OF ASSEMBLY: Bolted construction

PACKAGING: SSP450-RB are packed in 3 boxes

SSP720-RB are packaged in 5 boxes





SSP720-RB

#### ■ STAINLESS STEEL ROUND BASE PRICING

PART#	UNIT HEIGHT	FLOOR PLATE DIAMETER	RECOMMENDED TOP SIZE	NET WEIGHT	LIST PRICE	
SSP450-RB	27.75"	17-23/32"	≤ 32" Rd.	34 lbs	702	
33F430-NB	21.15	11-23/32	≤28" Sq.	34105	102	
SSP580-RB	27.75"	22-27/32"	≤ 40" Rd.	49 lbs	975	
331 300-ND	21.15	22-21102	≤36" Sq.	49105	915	
SSP450-RB-42	40.75"	17-23/32"	≤30" Rd.	36 lbs	787	
331 430-NB-42	40.75	17 20/02	≤ 24" Sq.	30 103	101	
SSP580-RB-42	40.75"	22-27/32"	≤36" Rd.	51 lbs	1,060	
33F300-ND-42	40.75	22-21132	≤32" Sq.	31105	1,000	
SSP720-RB	27.75"	28-23/64"	≤ 60" Rd.	91 lbs	027	
3 columns	21.10	20-20/04	≤ 54" Sq.	81105	927	

### STAINLESS STEEL SQUARE BASE

Classic design meets a beautiful finish in this stainless steel table base; our Square Base features 304-grade stainless steel. It is perfect for architectural, office, restaurant, and hospitality applications.

#### FEATURES

UNIT HEIGHT: 27.75"

40.75"

MOUNTING PLATE: 13.75" x 13.75" square pressed steel

COLUMN: 3" diameter; 1.5 mm thick; 304-grade stainless steel

FLOOR PLATE: 17-23/32" x 17-23/32"

22-27/32" x 22-27/32"

Cover plate is 1mm thick 304-grade linear

Sunray Brushed Stainless Steel

LEVELING GLIDES: 3/4" diameter plastic for leveling on uneven floors

FINISH: Brushed Stainless Steel

METHOD OF ASSEMBLY: Bolted construction

PACKAGING: Bases are packed in 3 boxes



SSP450-SB

#### ■ STAINLESS STEEL SQUARE BASE PRICING

PART#	UNIT HEIGHT	FLOOR PLATE	RECOMMENDED TOP SIZE	NET WEIGHT	LIST PRICE	
SSP450-SB	27.75"	17-23/32"	≤32" Rd.	39 lbs	739	
33F43U-3B	21.15	17-23/32	≤28" Sq.	39105	739	
SSP580-SB	27.75"	22-27/32"	≤ 40" Rd.	59 lbs	1,008	
33F300-3B	21.15	22-21102	≤36" Sq.	39 108	1,000	
SSP450-SB-42	40.75"	17-23/32"	≤30" Rd.	41 lbs	824	
331 430-35-42	40.75	11-23/32	≤ 24" Sq.	41105	024	
SSP580-SB-42	40.75"	22-27/32"	≤36" Rd.	61 lbs	1,093	
33F300-3B-42	40.75	22-21132	≤32" Sq.	01105	1,090	

### STAINLESS STEEL BOLT DOWN LEG

This stylish yet heavy-duty base provides form and function in bolt-down applications. It is perfect for office or hospitality settings. The base bolts to the floor with an 8" diameter floor plate and has a 3" column diameter.

#### FEATURES

UNIT HEIGHT: 27.75"

40.75"

MOUNTING PLATE: 13.75" x 13.75" square pressed steel

COLUMN: 3" diameter; 1.5 mm thick; 304- grade stainless steel

FLOOR PLATE: 8" diameter; cover plate is 1mm thick 304-grade

Sunray Brushed Stainless Steel

FINISH: Brushed Stainless Steel

METHOD OF ASSEMBLY: Bolted construction

PACKAGING: Bases are packed in 3 boxes



#### ■ STAINLESS STEEL BOLT DOWN LEG PRICING

PART#	UNIT HEIGHT	COLUMN DIAMETER	RECOMMENDED TOP SIZE	NET WEIGHT	LIST PRICE	
0000	07.75"	3"	≤24" Rd.	16 lbs	347	
SSBD	27.75"	3	≤24" Sq.	16 lbs		
0000 40	40.75"	3"	≤24" Rd.	22 lbs	400	
SSBD-42	40.75	3	≤24" Sq.	ZZ 105	432	

#### STAINLESS STEEL POST LEG

Our Stainless Steel Post Leg is crafted from high-quality stainless steel.

#### ■ FEATURES

UNIT HEIGHT: 27.75"

34.75"

40.75"

MOUNTING PLATE: 5" x 5", 2.5 mm die-stamped steel

COLUMN: 3" diameter; 1.5 mm thick; 304-grade stainless steel

LEVELING GLIDES: 3.25" x .75" black plastic with 1/2" of adjustment

FINISH: Brushed Stainless Steel

METHOD OF ASSEMBLY: Bolted construction

PACKAGING: Bases are packaged 2 per box, priced individually



#### ■ STAINLESS STEEL POST LEG PRICING

PART #	UNIT HEIGHT	COLUMN DIAMETER	NET WEIGHT	LIST PRICE
SS29-PL	27.75"	3"	6 lbs	203
SS36-PL	34.75"	3"	7 lbs	244
SS42-PL	40.75"	3"	8 lbs	287

### CAST IRON 2.0 X & T BASES

The Cast Iron 2.0 X and T Bases are fabricated from an 11 gauge tubular steel column and a heavy-duty cast iron floor base. Die-formed steel threaded rod and nut are used for assembly.



#### FEATURES

UNIT HEIGHT: 27.75"

40.75"

WELDED

MOUNTING PLATE: 9.5" x 9.5" x 5/32" die-stamped steel

COLUMN: 3" diameter

LEVELING GLIDES: 1-1/8" diameter plastic for leveling on uneven floors

FINISH: Black Wrinkle and Fog Gray

METHOD OF ASSEMBLY: Bolted construction

PACKAGING: Foot and column are packaged in 2 boxes

#### OPTIONS

SELF LEVELING GLIDES: Specify -SLG-M8

See page 73 for more information

FOOT RING: Specify -FR

16" diameter, 12" high foot ring for 40.75" high bases



### ■ CAST IRON 2.0 X & T BASES PRICING

TYPE	PART#	UNIT HEIGHT	BASE SPREAD	RECOMMENDED TOP SIZE	NET WEIGHT	LIST PRICE	
	CI-2222X	27.75"	22/22"	≤ 30" Rd.	18 lbs	143	
	GI-2222A	21.15	22122	≤ 24" Sq.	10 105	143	
X-BASES	CI-2230X	27.75"	22/30"	≤36" Sq.	20 lbs	161	
A-BAGEG	01-22007	21.15		≤36" Rd.	20103	101	
	CI-3030X	27.75"	30/30"	≤ 42" Sq.	22 lbs	180	
	01-30007	21.15	30730	≤ 42" Rd.	22 103	180	
	CI-2222X-42	40.75"	22/22"	≤ 24" Sq.	21 lbs	241	
	01 22227 42	40.70	22122	≤ 24" Rd.	21103	271	
X-BASES BAR	CI-2230X-42	40.75"	22/30"	≤ 36" Sq.	23 lbs	259	
HEIGHT	01 2200X 42	40.70	22700	≤36" Rd.	20100	200	
	CI-3030X-42	40.75"	30/30"	≤36" Sq.	25 lbs	278	
	01 0000X 42	40.70	00/00	≤36" Rd.	20100	210	
T-BASES	CI-24T	27.75"	22"	24" - 30" × 36" - 72"	15 lbs	109	
I-BASES	CI-24T-42	40.75"	22"	24" - 30" x 36" - 72"	18 lbs	207	
SELF- LEVLING	-SLG-M8	For X Base		-	+84		
GLIDES	-SLG-M8	For T Base		-	+ 42		
FOOT- RING	-FR	12"			6 lbs	+ 104	

### CAST IRON 2.0 ROUND BASES

The Cast Iron 2.0 Round Base features a column made from 11 gauge tubular steel and a heavy-duty cast iron floor plate. Die-formed steel threaded rod and nut are used for assembly



#### FEATURES

UNIT HEIGHT: 27.75"

40.75"

WELDED

MOUNTING PLATE: 9.5" x 9.5" x 5/32" die-stamped steel

LEVELING GLIDES: 1-1/8" diameter plastic for leveling on uneven floors

FINISH: Black Wrinkle and Fog Gray

METHOD OF ASSEMBLY: Bolted construction

PACKAGING: Floor plate and column are packaged separately

#### OPTIONS

SELF LEVELING GLIDES: Specify -SLG-M8. See page 73 for more information.

FOOT RING: 12" high, for 40.75" high bases

Specify -FR-3 16" diameter for 3" column. Specify -FR-4 9.5" diameter for 4" column.



#### ■ CAST IRON 2.0 ROUND BASES PRICING

ТҮРЕ	PART#	UNIT HEIGHT	FLOOR PLATE	COLUMN DIAMETER	RECOMMENDED TOP SIZE	NET WEIGHT	LIST PRICE
	CI-18R	27.75"	18"	3"	≤ 30" Rd.	22 lbs	180
	OI-ION	21.13	10	3	≤24" Sq.	22105	100
ROUND	CI-24R	27.75"	24"	3"	≤ 42" Rd.	40 lbs	288
BASES	01-2411	21.10			≤36" Sq.	40 103	288
	CI-30R	27.75"	30"	4"	≤54" Rd.	57 lbs	405
		21.10	30		≤ 48" Sq.	37 103	400
	CI-18R-42 CI-24R-42 CI-30R-42	40.75"	18"	3" 3"	≤ 26" Rd.	26 lbs	278
					≤22" Sq.	20103	210
ROUND BASES		40.75"	24"		≤36" Rd.	44 lbs	386
BAR HEIGHT		40.70	24		≤32" Sq.		
		40.75"	30"		≤ 48" Rd.		503
	01 0011 42	40.70	00	7	≤ 42" Sq.	02 103	300
SELF LEVELING	-SLG-M8	Self-leveli	ng glides -	18" Base		-	+84
GLIDES	-SLG-M8	Self-leveling glides - 24" and 30" Ba		Bases	-	+ 105	
FOOTRING	-FR-3 for 3" dia column	12"	-	16"	-	6 lbs	+ 104
POOTKING	-FR-4 for 4" dia column	12"	-	19.5"	-	6 lbs	+ 104

#### TRIANGULAR BASES

Fabricated 14 gauge tubular steel with welded cross members.

#### FEATURES

UNIT HEIGHT: 27.75" 40.75"

WELDED

MOUNTING PLATE: (3) 4" x 4" x 7/32" triangle

FINISH: Stock color is Black. See page 84 for more color options

PACKAGING: Floor plate and column are packaged separately

#### OPTIONS


BALLAST: One or two 4 lbs each. Ballasts can be mounted

under a floor plate for more stability Specify -BALLAST-1 for 1 ballast Specify -BALLAST-2 for 2 ballasts

SELF LEVELING GLIDES: Specify -SLG-2. See page 73 for more information







TRI-842-18TRIP

#### ■ TRIANGULAR BASES PRICING

PART#	UNIT HEIGHT	COLUMN DIAMETER	BASE SPREAD	RECOMMENDED TOP SIZE	NET WEIGHT	LIST PRICE
TRI-8	27.75"	2"	10"	-	19 lbs	422
TRI-8-42	40.75"	2"	10"	-	26 lbs	513
TRI-8-18TRIP	27.75"	2"	18"	max 30" square	32 lbs	602
TRI-8-22TRIP	27.75"	2"	22"	max 36" square	38 lbs	667
TRI-8-26TRIP	27.75"	2"	26"	max 48" square	46 lbs	754
TRI8-18TRIP-42	40.75"	2"	18"	max 30" square	33 lbs	693
TRI8-22TRIP-42	40.75"	2"	22"	max 36" square	39 lbs	758
TRI8-26TRIP-42	40.75"	2"	26"	max 48" square	45 lbs	845
-SLG-2	Self-leveling	Glides	_	+ 84		
-BALLAST-1	1-four-pound	d ballast	4 lbs	+ 55		
-BALLAST-2	2-four-poun	d ballasts	8 lbs	+ 112		

### ARCHED SINGLE COLUMN T-LEGS

Our Arched T-Legs feature the highest quality 14 gauge tubular steel; the column and arched foot are 2" in diameter. All threaded inserts are welded for maximum strength.



#### FEATURES

UNIT HEIGHT: 27.75"

40.75"

WELDED

MOUNTING PLATE: 5"x 8"x 7/32"

LEVELING GLIDES: 1-3/8" diameter plastic in steel threaded inserts

FINISH: Stock color is Black.

See page 84 for more color options

PACKAGING: Bases are packed 2 per box, priced individually

#### OPTIONS

ADJUSTABLE HEIGHT: Adjusts in 1" increments from 24.75" to 34.75".

See page 63 for more information.

SELF LEVELING GLIDES: Specify -SLG

CUSTOM HEIGHT: Specify - CUSTHT1 for height between 5" - 27.75"

Specify -CUSTHT2 for height between 27.75" - 40.75"

CASTERS: Specify -SC. 3" locking skate casters, each 112 lbs

capacity

### ■ ARCHED SINGLE COLUMN T-LEGS PRICING

	PART#	UNIT HEIGHT	COLUMN DIA	BASE SPREAD	MOUNTING PLATE	RECOMMENDED TOP WIDTH	NET WEIGHT	LIST PRICE (EACH)		
	1ATL-18	27.75"	2"	16"	5"x 8"x 7/32"	18"- 22"	7 lbs	167		
	1ATL-24	27.75"	2"	22"	5"x 8"x 7/32"	24"- 28"	7 lbs	171		
	1ATL-30	27.75"	2"	26"	5"x 8"x 7/32"	28"-30"	8 lbs	174		
FIXED HEIGHT	1ATL-24-SC	27.75"	2"	22"	5"x 8"x 7/32"	24"-28"	7 lbs	235		
XE	1ATL-30-SC	27.75"	2"	26"	5"x 8"x 7/32"	28"-30"	8 lbs	238		
	1ATL-18-42	40.75"	2"	16"	5"x 8"x 7/32"	18"- 22"	9 lbs	230		
	1ATL-24-42	40.75"	2"	22"	5"x 8"x 7/32"	24"-28"	9 lbs	234		
	1ATL-30-42	40.75"	2"	26"	5"x 8"x 7/32"	28"-30"	10 lbs	237		
EIGHT	1ATL-18-AH	27.75"	2"	16"	5"x 8"x 7/32"	18"- 22"	6 lbs	276		
ADJUSTABLE HEIGHT	1ATL-24-AH	27.75"	2"	22"	5"x 8"x 7/32"	24"- 28"	9 lbs	280		
ADJUS	1ATL-30-AH	27.75"	2"	26"	5"x 8"x 7/32"	28" - 30"	10 lbs	283		
CUSTOM HEIGHT	-CUSTHT1	For height be	etween 5" - 27	7.75"			7 lbs	+ 68		
CUS	-CUSTHT2	For height be	8-10 lbs	+ 131						
SLG	-SLG	Self-leveling	Self-leveling Glides							
SC	-SC	Locking Ska	te Casters				-	+ 64		



#### ARCHED DUAL COLUMN T-LEGS

This base is fabricated from the highest quality 14 gauge tubular steel. The columns and arched foot are 2" in diameter. All threaded inserts are welded for maximum strength.



#### FEATURES

UNIT HEIGHT: 27.75"

LEVELING GLIDES: 1-3/8" diameter plastic with steel threaded inserts

FINISH: Stock color is Black

See page 84 for more color options

PACKAGING: Bases are packed 2 per box, priced individually

#### OPTIONS

CUSTOM HEIGHT: Specify -CUSTHT1 for height between 5" - 27.75"

#### ■ ARCHED DUAL COLUMN T-LEGS PRICING

PART#	UNIT HEIGHT	COLUMN DIAMETER	BASE SPREAD	MOUNTING PLATE SIZE	RECOMMENDED TOP DEPTH	NET WEIGHT	LIST PRICE (EACH)		
2ATL-24	27.75"	2"	22"	5" x 12"	24"- 28"	12 lbs	240		
2ATL-30	27.75"	2"	26"	5" x 12"	30"- 36"	13 lbs	245		
2ATL-42	27.75"	2"	36"	(2) 5" x 8" welded	42"- 46"	14 lbs	255		
2ATL-48	27.75"	2"	42"	(2) 5" x 8" welded	46"- 48"	14 lbs	260		
-CUSTHT1	For height between 5" - 27.75"								

### ARCHED SINGLE COLUMN X-BASE

X-Bases are fabricated from the highest quality 14 gauge tubular steel. The column is 3", and the arched feet are 2" in diameter. The mounting plate and all threaded inserts are welded for maximum strength.

#### FEATURES

UNIT HEIGHT: 27.75" and 40.75"

LEVELING GLIDES: 1-3/8" diameter plastic with steel threaded inserts

FINISH: Stock color is Black. See page 84 for more color options

PACKAGING: Bases and feet are packaged in one box



CUSTOM HEIGHT: Specify - CUSTHT1 for height between 5" - 27.75"

Specify -CUSTHT2 for height between 27.75" - 40.75"

SELF LEVELING GLIDES: Specify -SLG

CASTERS: Specify -SC . 3" Locking skate casters, each 112 lbs. capacity





#### ■ ARCHED SINGLE COLUMN X-BASE PRICING

PART#	UNIT HEIGHT	COLUMN DIAMETER	BASE SPREAD	MOUNTING PLATE SIZE	RECOMMENDED TOP DEPTH	NET WEIGHT	LIST PRICE (EACH)		
1AXL-30	27.75"	3"	26" x 26"	8" x 8" x 7/32" welded	24"- 28"	14 lbs	306		
1AXL-36	27.75"	3"	32" x 32"	8" x 8" x 7/32" welded	30"-36"	16 lbs	321		
1AXL-42	27.75"	3"	38" x 38"	8" x 8" x 7/32" welded	42"- 46"	19 lbs	344		
1AXL-30-42	40.75"	3"	26" x 26"	8" x 8" x 7/32" welded	24"- 28"	14 lbs	403		
1AXL-36-42	40.75"	3"	32" x 32"	8" x 8" x 7/32" welded	30"- 36"	16 lbs	418		
1AXL-42-42	40.75"	3"	38" x 38"	8" x 8" x 7/32" welded	42"- 46"	19 lbs	441		
-CUSTHT1	For height betv	veen 5" - 27	7.75"				+ 68		
-CUSTHT2	-CUSTHT2 For height between 27.75" - 40.75"								
-SLG	Self-leveling Glides								
-SC	Skate Casters						+ 128		

### SINGLE COLUMN POST LEGS

Single Column Post Legs are fabricated with 14 gauge steel. Threaded inserts for levelers or casters are welded for maximum strength.

#### FEATURES

UNIT HEIGHT: 27.75"

40.75"

WELDED

4" x 4" x 7/32" or 6" x 6" x 7/32" welded MOUNTING PLATE:

LEVELING GLIDES: 1-3/8" diameter plastic with steel threaded inserts;

PL-27-4 has a 4" metal glide

CASTERS: PL-27-2-C and PL-27-C have a 2" dual-wheel locking

caster, 112 lbs capacity

FINISH: Stock color is Black, PL-27-2 is also stocked in Metallic

Silver. See page 84 for more color options

PACKAGING: Bases are packaged 2 per box

> PL-27-2 and PL-27-2-C are packaged 4 per box PL-27-342 and PL-27-442 are packaged one per box

Priced individually



**CUSTOM HEIGHT:** Specify -CUSTHT1 for height between 5" - 27.75"

Specify -CUSTHT2 for height between 27.75" - 40.75"





PL-27-4

### ■ SINGLE COLUMN POST LEGS PRICING

PART #	UNIT HEIGHT	COLUMN DIAMETER	MOUNTING PLATE SIZE	NET WEIGHT	LIST PRICE (EACH)		
PL-27-2	27.75"	2"	4" × 4"	4 lbs	76		
PL-27-2-MS Metallic Silver	27.75"	2"	4" × 4"	4 lbs	76		
PL-27-2-C with casters	27.75"	2"	4" × 4"	4 lbs	95		
PL-27-2FM folding leg	27.75"	2"	5" x 8"	7 lbs	234		
PL-27-3	27.75"	3"	6" x 6"	6 lbs	112		
PL-27-342	40.75"	3"	6" x 6"	10 lbs	175		
PL-27-4	27.75"	4"	6" x 6"	8 lbs	152		
PL-27-442	40.75"	4"	6" x 6"	12 lbs	215		
-CUSTHT1	For height betwe	For height between 5" - 27.75"					
-CUSTHT2	For height betwe	en 27.75" - 40.75"			+ 131		

#### 1.5" POST LEGS

1.5" diameter tubular columns are fabricated with 14 gauge steel.



#### FEATURES

UNIT HEIGHT: 27.75"

WELDED

MOUNTING PLATE: 4" x 4" x 7/32"

BELL GLIDE: 2-3/8" diameter nylon glide in 2.5" high steel extender

CASTERS: 3" locking skate wheel caster with black core;

112 lbs capacity

ADJUSTABLE HEIGHT: Adjustable range from 24.75" to 34.75"

Adjusts in 1" increments

FINISH: Stock color is Black. See page 84 for more color options

PACKAGING: Bases are packaged 4 per box, priced individually

#### ■ 1.5" POST LEGS PRICING

PART#	UNIT HEIGHT	COLUMN DIAMETER	MOUNTING PLATE SIZE	NET WEIGHT	LIST PRICE (EA)
SPYL with bell glide	27.75"	1.5"	4" x 4"	4 lbs	110
SPYL-SC with caster	27.75"	1.5"	4" x 4"	4 lbs	110
SPYL-AH spring clip adjustable height	27.75"	1.5"	4" x 4"	5 lbs	142

## SQUARE POST LEG

Square post legs are fabricated with 14 gauge square steel threaded inserts for levelers. Post mounts flush with the table corner.

#### FEATURES

UNIT HEIGHT: 27.75"

40.75"

WELDED

MOUNTING PLATE: 5" x 5" x 7/32"

LEVELING GLIDES: 2-3/8" diameter plastic with steel threaded inserts

CASTERS: SQ-RH-C comes with a 2.5" dual-wheel locking caster,

112 lbs capacity

FINISH: SQ-RH is stocked in Black and Metallic Silver

See page 84 for more color options

PACKAGING: Bases are packaged 4 per box, priced individually

#### OPTIONS

CUSTOM HEIGHT: Specify - CUSTHT1 for height between 5" - 27.75"

Specify -CUSTHT2 for height between 27.75" - 40.75"

#### ■ SQUARE POST LEG PRICING

PART #	UNIT HEIGHT	UNIT HEIGHT COLUMN DIAMETER NET WEIGHT		LIST PRICE (EACH)			
SQ-RH	27.75"	2-3/8"	6 lbs	121			
SQ-RH-MS Metallic Silver	27.75"	2-3/8"	6 lbs	121			
SQ-RH-C with Caster	27.75"	2-3/8"	6 lbs	140			
SQ-RH-42 Bar Height	40.75"	2-3/8"	9 lbs	184			
-CUSTHT1	For height between 5	For height between 5" - 27.75"					
-CUSTHT2	For height between 2	7.75" - 40.75"		+ 131			

SQ-RH

### REVEAL LEG

The Reveal legs are fabricated with 14 gauge 2" diameter tubular steel, 45° angle support is welded to a 6" x 6" mounting plate for maximum strength.

#### FEATURES

UNIT HEIGHT: 27.75"

WELDED

MOUNTING PLATE: 6" x 6" x 7/32" steel

LEVELING GLIDES: 1-3/8" diameter plastic with steel threaded inserts

FINISH: Stock color is Black. See page 84 for more color options

PACKAGING: Bases are packaged 2 per box, priced individually

#### OPTIONS

CUSTOM HEIGHT: Specify - CUSTHT1 for height between 5" - 27.75"

RL

#### ■ REVEAL LEG PRICING

PART#	UNIT HEIGHT	COLUMN DIAMETER	MOUNTING PLATE SIZE	NET WEIGHT	LIST PRICE (EACH)
RL	27.75"	2"	6" x 6"	6 lbs	170
-CUSTHT1	For height betwe	en 5" - 27.75"			+ 68



### BOLT DOWN LEG

This stylish yet heavy-duty base provides form and function in bolt-down applications. It is perfect for educational or hospitality settings—the base bolts to the floor with a 6" diameter plate and 3" column diameter.

#### FEATURES

UNIT HEIGHT: 27.75"

34.75" 40.75"

WELDED

MOUNTING PLATE: 10" x 10"

COLUMN: 3" diameter

FLOOR PLATE: 6" diameter cover
FINISH: Stock color is Black.

See page 84 for more color options

METHOD OF ASSEMBLY: Bolted construction

PACKAGING: Bases are packaged in 2 boxes



#### OPTIONS

CUSTOM HEIGHT: Specify -CUSTHT1 for height between 5" - 27.75"

Specify -CUSTHT2 for height between 27.75" - 40.75"

#### ■ BOLT DOWN LEG PRICING

PART#	UNIT HEIGHT	COLUMN DIAMETER	NET WEIGHT	LIST PRICE (EACH)
BD-29	27.75"	3"	13 lbs	170
BD-36 Counter Height	34.75"	3"	14 lbs	233
BD-42 Bar Height	40.75"	3"	15 lbs	233
-CUSTHT1	5" - 27.75"	3"	up to 13 lbs	+ 68
-CUSTHT2	27.75" - 40.75"	3"	up to 15 lbs	+ 131

### SINGLE COLUMN T-LEG

Fabricated 14 gauge steel with steel end caps and threaded inserts for levelers or casters featuring a bolted construction.



#### **FEATURES**

UNIT HEIGHT: 27.75"

34.75" 40.75"

WELDED

MOUNTING PLATE: 5" x 8"x 7/32" steel

LEVELING GLIDES: 1-3/8" diameter plastic with steel threaded inserts

FINISH: Stock color is Black

See page 84 for more color options

PACKAGING: Bases are packaged 2 per box, priced individually

#### OPTIONS

CUSTOM HEIGHT: Specify - CUSTHT1 for height between 5" - 27.75"

Specify -CUSTHT2 for height between 27.75" - 40.75"

BAR HEIGHT: Specify -42
COUNTER HEIGHT: Specify -36

ADJUSTABLE HEIGHT: Specify -AH. See page 63 for more information

CASTERS: Specify -C. 2" dual-wheel locking caster, 112 lbs capacity SELF-LEVELING GLIDES: Specify -SLG-M8. See page 73 for more information FOLDING: Specify -GFM. See page 68 for more information

special (T)

### ■ SINGLE COLUMN T-LEG PRICING

	PART#	UNIT HEIGHT	COLUMN DIAMETER	BASE SPREAD	MOUNTING PLATE SIZE	RECOMMENDED TOP DEPTH	NET WEIGHT	LIST PRICE (EACH)
	TL-18	27.75"	2"	16"	5" x 8"	24"- 28"	7.50 lbs	179
RD	TL-20	27.75"	2"	18"	5" x 8"	26"-32"	7.75 lbs	179
STANDARD	TL-22	27.75"	2"	20"	5" x 8"	28"- 24"	8.00 lbs	182
ST	TL-24	27.75"	2"	22"	5" x 8"	30"-36"	8.50 lbs	182
	TL-30	27.75"	2"	26"	5" x 8"	42"- 46"	9.00 lbs	186
	TL-18-C	27.75"	2"	16"	5" x 8"	24"-28"	7.50 lbs	217
S	TL-20-C	27.75"	2"	18"	5" x 8"	26"-32"	7.75 lbs	217
CASTERS	TL-22-C	27.75"	2"	20"	5" x 8"	28"- 24"	8.00 lbs	220
S	TL-24-C	27.75"	2"	22"	5" x 8"	30"- 36"	8.50 lbs	220
	TL-30-C	27.75"	2"	26"	5" x 8"	42"- 46"	9.00 lbs	224
	TL-18-36	34.75"	2"	16"	5" x 8"	24"- 28"	8.50 lbs	242
COUNTER HEIGHT	TL-20-36	34.75"	2"	18"	5" x 8"	26"-32"	7.75 lbs	242
TER H	TL-22-36	34.75"	2"	20"	5" x 8"	28"- 24"	8.50 lbs	245
COUN	TL-24-36	34.75"	2"	22"	5" x 8"	30"- 36"	9.00 lbs	245
	TL-30-36	34.75"	2"	26"	5" x 8"	42"- 46"	10.00 lbs	249
	TL-18-42	40.75"	2"	16"	5" x 8"	24"- 28"	9.50 lbs	242
눞	TL-20-42	40.75"	2"	18"	5" x 8"	26"-32"	9.75 lbs	242
BAR HEIGHT	TL-22-42	40.75"	2"	20"	5" x 8"	28"- 24"	10.00 lbs	245
BAF	TL-24-42	40.75"	2"	22"	5" x 8"	30"- 36"	10.50 lbs	245
	TL-30-42	40.75"	2"	26"	5" x 8"	42"-46"	11.00 lbs	249

### ■ SINGLE COLUMN T-LEG PRICING

	PART#	UNIT HEIGHT	COLUMN DIAMETER	BASE SPREAD	MOUNTING PLATE SIZE	RECOMMENDED TOP DEPTH	NET WEIGHT	LIST PRICE (EACH)
누	TL-18-AH	24.75 - 34.75"	2"	16"	5" x 8"	24"-28"	10.50 lbs	288
HEIGH	TL-20-AH	24.75 - 34.75"	2"	18"	5" x 8"	26"-32"	10.75 lbs	288
ABLE	TL-22-AH	24.75 - 34.75"	2"	20"	5" x 8"	28"- 24"	11.00 lbs	291
ADJUSTABLE HEIGHT	TL-24-AH	24.75 - 34.75"	2"	22"	5" x 8"	30"-36"	11.50 lbs	291
AD	TL-30-AH	24.75 - 34.75"	2"	26"	5" x 8"	42"- 46"	12.00 lbs	295
.75	TL-18-42AH	34.75 - 44.75"	2"	16"	5" x 8"	24"- 28"	9.50 lbs	388
AH 34.75 - 44.75	TL-24-42AH	34.75 - 44.75"	2"	18"	5" x 8"	30"-36"	10.50 lbs	391
34.	TL-30-42AH	34.75 - 44.75"	2"	20"	5" x 8"	42"- 46"	11.00 lbs	395
	TL-18-GFM	27.75"	2"	16"	5" x 8"	24"- 28"	10.50 lbs	427
G	TL-20-GFM	27.75"	2"	18"	5" x 8"	26"-32"	10.75 lbs	427
FOLDING	TL-22-GFM	27.75"	2"	20"	5" x 8"	28"- 24"	11.00 lbs	430
Ĕ	TL-24-GFM	27.75"	2"	22"	5" x 8"	30"-36"	11.50 lbs	430
	TL-30-GFM	27.75"	2"	26"	5" x 8"	42"- 46"	12.00 lbs	434
	-CUSTHT1	For height between	en 5" - 27.75	33				+ 68
SNO	-CUSTHT2	For height between	en 27.75" - 4	0.75"				+ 131
OPTIONS	-C	Casters						+ 38
	-SLG-M8	Self-leveling Glide	es					+ 42



#### WELDED SINGLE COLUMN T-LEG

Fabricated 14 gauge steel with steel endcaps and threaded inserts for levelers or casters. Featuring welded construction.

#### FEATURES

UNIT HEIGHT: 27.75"

WELDED

MOUNTING PLATE: 5" x 8" x 7/32" steel

LEVELING GLIDES: 1-3/8" diameter plastic with steel threaded inserts

FINISH: Stock color is Black. See page 84 for more color options

PACKAGING: Bases are packaged 2 per box, priced individually



### OPTIONS

Self-leveling Glides: Specify -SLG-8

See page 73 for more information

#### ■ WELDED SINGLE COLUMN T-LEG PRICING

PART#	UNIT HEIGHT	COLUMN DIAMETER	BASE SPREAD	RECOMMENDED TOP DEPTH	NET WEIGHT	LIST PRICE (EACH)		
TL-18W	27.75"	2"	16"	18"- 20"	7 lbs	179		
TL-24W	27.75"	2"	22"	24"- 28"	8 lbs	182		
TL-30W	27.75"	2"	26"	28"- 30"	9.5 lbs	186		
TL-36W	27.75"	2"	30"	34"- 36"	10 lbs	256		
-SLG-M8	Self-leveling	Self-leveling Glides						

### EZ-ROLL T-LEG

T-Leg with concealed EZ-Roll wheels is stationary or can be mobile when tilted. Fabricated 14 gauge 2" diameter columns with steel endcaps and hid EZ-Roll wheels.

#### FEATURES

UNIT HEIGHT: 27.75"

WELDED

MOUNTING PLATE: 5" x 8" x 7/32"

EZ-ROLL WHEELS: 1.5" diameter built-in wheels

FINISH: Stock color is Black. See page 84 for more color options

PACKAGING: Bases are packed 2 per box, priced individually





#### OPTIONS

CUSTOM HEIGHT: Specify - CUSTHT1 for height between 5" - 27.75"



Built-in EZ-Roll wheel

#### ■ EZ-ROLL T-LEG PRICING

PART#	COLUMN DIAMETER	BASE SPREAD	RECOMMENDED TOP DEPTH	NET WEIGHT	LIST PRICE (EACH)
TL-18-EZR	2"	16"	18"- 22"	7 lbs	223
TL-24-EZR	2"	22"	24"- 26"	8 lbs	226
TL-30-EZR	2"	26"	28"- 30"	9 lbs	228
-CUSTHT1	For height betwe	+ 68			

### DUAL COLUMN T-LEGS

Fabricated 14 gauge steel with steel endcaps and threaded inserts for levelers or casters.



#### FEATURES

UNIT HEIGHT: 27.75"

40.75"

MOUNTING PLATE: 7/32" steel

LEVELING GLIDES: 1-3/8" diameter plastic with steel threaded inserts

FINISH: Stock color is Black. See page 84 for more color options

PACKAGING: 2TL-24, 2TL-30, 2TL-36, 2TL-42, and 2TL-48 bases are

packed 2 per box, priced individually

2TL-60 bases are packed 1 per box, priced individually

#### OPTIONS

CUSTOM HEIGHT: Specify -CUSTHT1 for height between 5" - 27.75"

Specify -CUSTHT2 for height between 27.75" - 40.75"

BAR HEIGHT: Specify -42

ADJUSTABLE HEIGHT: Specify -AH. See page 63 for more information

CASTERS: Specify -C. 2" dual-wheel locking caster

SELF LEVELING GLIDES: Specify -SLG-M8. See page 73 for more information

### ■ DUAL COLUMN T-LEGS PRICING

	PART#	UNIT HEIGHT	COLUMN DIAMETER	BASE SPREAD	MOUNTING PLATE SIZE	RECOMMENDED TOP DEPTH	NET WEIGHT	LIST PRICE (EACH)
	2TL-24	27.75"	2"	22"	5" x 11" welded	24"- 28"	13 lbs	245
٥	2TL-30	27.75"	2"	26"	5" x 11" welded	30"-36"	14 lbs	248
STANDARD	2TL-42	27.75"	2"	36"	6" x 16"	42"- 46"	17 lbs	269
S	2TL-48	27.75"	2"	42"	6" x 16"	48"- 52"	17 lbs	281
	2TL-60	27.75"	2-3/8"	42"	(2) 6" x 6"	52"- 60"	18 lbs	365
	2TL-24-C	27.75"	2"	22"	5" x 11" welded	24"- 28"	13 lbs	283
CASTERS	2TL-30-C	27.75"	2"	26"	5" x 11" welded	30"-36"	14 lbs	286
CAST	2TL-42-C	27.75"	2"	36"	6" x 16"	42"- 46"	17 lbs	307
	2TL-48-C	27.75"	2"	42"	6" x 16"	48"- 52"	17 lbs	319
	2TL-24-42	40.75"	2"	22"	5" x 11" welded	24"- 28"	18 lbs	371
BAR HEIGHT	2TL-30-42	40.75"	2"	26"	5" x 11" welded	30"-36"	19 lbs	374
BARH	2TL-42-42	40.75"	2"	36"	6" x 16"	42"- 46"	22 lbs	395
	2TL-48-42	40.75"	2"	42"	6" x 16"	48"-52"	22 lbs	407
GHT	2TL-24-AH	24.75" - 34.75"	2"	22"	(2) 5" x 8"	24"- 28"	19 lbs	463
LE HEIC	2TL-30-AH	24.75" - 34.75"	2"	26"	(2) 5" x 8"	30"-36"	20 lbs	466
ADJUSTABLE HEN	2TL-42-AH	24.75" - 34.75"	2"	36"	(2) 5" x 8"	42"- 46"	23 lbs	487
AD	2TL-48-AH	24.75" - 34.75"	2"	42"	(2) 5" x 8"	48"- 52"	23 lbs	499
CUSTOM	-CUSTHT1	For height betwe	en 5" - 27.75"					+ 136
CUS	-CUSTHT2	2 For height between 27.75" - 40.75"						
SLG	-SLG-M8	Self-leveling Glid	es					+ 42



### SINGLE COLUMN C-LEGS

Fabricated 14 gauge steel with steel endcaps and threaded inserts for levelers or casters.



#### FEATURES

UNIT HEIGHT: 27.75"

34.75 40.75"

MOUNTING PLATE: 5" x 8" 7/32" steel

LEVELING GLIDES: 1-3/8" diameter plastic with steel threaded inserts

FINISH: Stock color is Black. See page 84 for more color options

PACKAGING: Bases are packed 2 per box, priced individually

#### OPTIONS

CUSTOM HEIGHT: Specify -CUSTHT1 for height between 5" - 27.75"

Specify -CUSTHT2 for height between 27.75" - 40.75"

BAR HEIGHT: Specify -42
COUNTER HEIGHT: Specify -36

ADJUSTABLE HEIGHT: Specify -AH. See page 63 for more information

CASTERS: Specify -C. 2" dual-wheel locking caster, 112 lbs capacity SELF LEVELING GLIDES: Specify -SLG-M8. See page 73 for more information

FOLDING: Specify -GFM. See page 68 for more information

### ■ SINGLE COLUMN C-LEGS PRICING

	PART#	UNIT HEIGHT	COLUMN DIAMETER	BASE SPREAD	MOUNTING PLATE SIZE	RECOMMENDED TOP DEPTH	NET WEIGHT	LIST PRICE (EACH)
Q.	CL-18	27.75"	2"	22"	5" x 8"	24"- 28"	7.5 lbs	179
STANDARD	CL-24	27.75"	2"	26"	5" x 8"	30"- 36"	8.5 lbs	182
ST	CL-30	27.75"	2"	36"	5" x 8"	42"- 46"	9.0 lbs	186
S	CL-18-C	27.75"	2"	22"	5" x 8"	24"- 28"	7.5 lbs	217
CASTERS	CL-24-C	27.75"	2"	26"	5" x 8"	30"- 36"	8.5 lbs	220
S	CL-30-C	27.75"	2"	36"	5" x 8"	42"- 46"	9.0 lbs	224
EIGHT	CL-18-36	34.75"	2"	22"	5" x 8"	24"- 28"	8.5 lbs	242
COUNTER HEIGHT	CL-24-36	34.75"	2"	26"	5" x 8"	30"-36"	9.0 lbs	245
COUN	CL-30-36	34.75"	2"	36"	5" x 8"	42"- 46"	10.0 lbs	249
	CL-18-42	40.75"	2"	22"	5" x 8"	24"- 28"	9.5 lbs	242
BAR HEIGHT	CL-24-42	40.75"	2"	26"	5" x 8"	30"-36"	10.5 lbs	245
	CL-30-42	40.75"	2"	36"	5" x 8"	42"- 46"	11.0 lbs	249
3LE	CL-18-AH	24.75" - 34.75"	2"	22"	5" x 8"	24"- 28"	10.5 lbs	288
JUSTABLE HEIGHT	CL-24-AH	24.75" - 34.75"	2"	26"	5" x 8"	30"-36"	11.5 lbs	291
AD	CL-30-AH	24.75" - 34.75"	2"	36"	5" x 8"	42"- 46"	12.0 lbs	295
(5	CL-18-GFM	27.75"	2"	22"	5" x 8"	24"-28"	10.0 lbs	427
FOLDING	CL-24-GFM	27.75"	2"	26"	5" x 8"	30"-36"	11.0 lbs	430
	CL-30-GFM	27.75"	2"	36"	5" x 8"	42"- 46"	11.5 lbs	434
CUSTOM	-CUSTHT1	For height betwee	en 5" - 27.75"					+ 68
CUS	-CUSTHT2	For height betwee	en 27.75" - 40.	75"				+ 131
SLG	-SLG-M8	Self-leveling Glide	es					+ 42



### DUAL COLUMN C-LEGS

Fabricated 14 gauge steel with steel endcaps and threaded inserts for levelers or casters.





#### ■ FFATURES

UNIT HEIGHT: 27.75" | 34.75 | 40.75"

MOUNTING PLATE: 5" x 11" 7/32" steel

LEVELING GLIDES: 1-3/8" diameter plastic with steel threaded inserts

FINISH: Stock color is Black

See page 84 for more color options

PACKAGING: Bases are packed 2 per box, priced individually

#### OPTIONS

CUSTOM HEIGHT: Specify -CUSTHT1 for height between 5" - 27.75"

Specify -CUSTHT2 for height between 27.75" - 40.75"

BAR HEIGHT: Specify -42

ADJUSTABLE HEIGHT: Specify -AH. See page 63 for more information

CASTERS: Specify -C. 2" dual-wheel locking caster, 112 lbs capacity

SELF LEVELING GLIDES: Specify -SLG.-M8. See page 73 for information

### ■ DUAL COLUMN C-LEG PRICING

	PART#	UNIT HEIGHT	COLUMN DIAMETER	BASE SPREAD	MOUNTING PLATE SIZE	RECOMMENDED TOP DEPTH	NET WEIGHT	LIST PRICE (EACH)	
STANDARD	2CL-24	27.75"	2"	22"	5" x 11" welded	24"- 28"	13 lbs	245	
STAN	2CL-30	27.75"	2"	26"	5" x 11" welded	28"- 30"	14 lbs	248	
CASTERS	2CL-24-C	27.75"	2"	22"	(2) 5" x 8"	24"- 28"	13 lbs	283	
CAST	2CL-30-C	27.75"	2"	26"	(2) 5" x 8"	28"- 30"	14 lbs	286	
R SHT	2CL-24-42	40.75"	2"	22"	(2) 5" x 8"	24"- 28"	18 lbs	371	
BAR HEIGHT	2CL-30-42	40.75"	2"	26"	(2) 5" x 8"	28"- 30"	19 lbs	374	
TABLE	2CL-24-AH	24.75" - 34.75"	2"	22"	(2) 5" x 8"	24"- 28"	19 lbs	463	
ADJUSTABLE HEIGHT	2CL-30-AH	24.75" - 34.75"	2"	26"	(2) 5" x 8"	28"- 30"	20 lbs	466	
CUSTOM	-CUSTHT1	For height between	en 5" - 27.7	5"				+ 136	
CUS.	-CUSTHT2	For height between 27.75" - 40.75"							
SLG	-SLG-M8	Self-leveling Glic	les					+ 42	



#### DUAL COLUMN H-LEGS

Fabricated 14 gauge steel with threaded inserts for levelers or casters.





## FEATURES

UNIT HEIGHT: 27.75"

34.75 40.75"

MOUNTING PLATE: (2) 6" x 6" x 7/32" steel

LEVELING GLIDES: 1-3/8" diameter plastic with steel threaded inserts

FINISH: Stock color is Black

See page 84 for more color options

PACKAGING: Bases are packed 2 per box, priced individually

#### OPTIONS

CUSTOM HEIGHT: Specify -CUSTHT1 for height between 5" - 27.75"

Specify -CUSTHT2 for height between 27.75" - 40.75"

COUNTER HEIGHT: Specify -36
BAR HEIGHT: Specify -42

SELF LEVELING GLIDES: Specify -SLG-M8. See page 73 for information

# ■ DUAL COLUMN H-LEGS PRICING

	PART#	UNIT HEIGHT	COLUMN DIAMETER	BASE SPREAD	RECOMMENDED TOP DEPTH	NET WEIGHT	LIST PRICE (EACH)
	HL-24	27.75"	2"	16.5"	24"- 28"	12 lbs	179
STANDARD	HL-30	27.75"	2"	22.5"	30"-40"	13 lbs	201
STAN	HL-330	27.75"	3"	23.5"	30"- 40"	18 lbs	234
	HL-342	27.75"	3"	30"	42"- 48"	18 lbs	272
CASTERS	HL-24-C	27.75"	2"	16.5"	24"- 28"	12 lbs	217
CAST	HL-30-C	27.75"	2"	22.5"	30"- 40"	13 lbs	239
COUNTER	HL-2436	34.75"	2"	16.5"	24"- 28"	13 lbs	305
COUP	HL-3036	34.75"	2"	22.5"	30"- 40"	15 lbs	327
EIGHT	HL-2442	40.75"	2"	16.5"	24"- 28"	15 lbs	305
BAR HEIGHT	HL-3042	40.75"	2"	22.5"	30"-40"	16 lbs	327
CUSTOM	-CUSTHT1	For height between	en 5" - 27.75"				+ 136
CUS.	-CUSTHT2	For height between	+ 262				
SLG	-SLG-M8	Self-leveling Glid	les				+ 42



# SINGLE COLUMN X-BASES

Fabricated 14 gauge steel with steel endcaps and threaded inserts for levelers or casters.

Bolted construction



## FEATURES

UNIT HEIGHT: 27.75"

LEVELING GLIDES: 1-3/8" diameter plastic with steel threaded inserts

FINISH: Stock color is Black. See page 84 for more color options

PACKAGING: Bases are packaged in 2 boxes

## OPTIONS

CUSTOM HEIGHT: Specify -CUSTHT1 for height between 5" - 27.75"

Specify -CUSTHT2 for height between 27.75" - 40.75"

BAR HEIGHT: Specify -42

CASTERS: Specify -C. 2" dual-wheel locking caster, 112 lbs capacity

SELF LEVELING GLIDES: Specify -SLG-M8. See page 73 for information

FLIP TOP: Specify -QF

Quick-flip mechanism flips top by pulling on the

release handle. Top locks automatically when returned to

a horizontal position

# ■ SINGLE COLUMN X-BASES PRICING

		COLUMN	BASE	MOUNTING	RECOMMEND	DED TOP SIZE	NET	LIST
	PART#	DIAMETER	SPREAD	PLATE SIZE	ROUND	SQUARE	WEIGHT	PRICE
	XL-24	3"	20" x 20"	8" x 8"	20" - 24" Rd.	20" - 22" Sq.	15 lbs	272
	XL-30	3"	26" x 26"	8" x 8"	26" - 36" Rd.	26" - 30" Sq.	17 lbs	281
	XL-36	3"	32" x 32"	8" x 8"	32" - 42" Rd.	32" - 36" Sq.	19 lbs	288
	XL-42	3"	36" x 36"	8" x 8"	36" - 48" Rd.	36" - 42" Sq.	21 lbs	296
	XL-48	3"	42" x 42"	8" x 8"	42" - 52" Rd.	42" - 48" Sq.	23 lbs	306
GHT					RECTAN	NGULAR		
FIXED TOP STANDARD HEIGHT	XL-30/24	3"	26" x 20"	8" x 8"	30">	× 24"	13 lbs	281
NDAF	XL-36/24	3"	32" x 20"	8" x 8"	36">	⟨24"	13 lbs	288
P STA	XL-36/30	3"	32" x 26"	8" x 8"	36">	⟨30"	15 lbs	288
ED TO	XL-42/24	3"	36" x 20"	8" x 8"	42">	⟨24"	13 lbs	296
FIXE	XL-42/30	3"	36" x 26"	8" x 8"	42" x 30"		15 lbs	296
	XL-42/36	3"	36" x 32"	8" x 8"	42" x 36"		15 lbs	296
	XL-48/24	3"	42" x 20"	8" x 8"	48">	< 24"	13 lbs	306
	XL-48/30	3"	42" x 26"	8" x 8"	48">	⟨30"	15 lbs	306
	XL-48/36	3"	42" x 30"	8" x 8"	48">	⟨36"	15 lbs	306
	XL-48/42	3"	42" x 36"	8" x 8"	48">	< 42"	16 lbs	306
					ROL	JND		
P C	XL-24-QF flip top	3"	20" x 20"	8" x 8"	20" - 2	24" Rd.	20 lbs	512
FLIP TOP	XL-30-QF flip top	3"	26" x 26"	8" x 8"	26" - 3	0" Rd.	25 lbs	521
ш	XL-36-QF flip top	3"	32" x 32"	8" x 8"	32" - 3	6" Rd.	29 lbs	528
MCF	-CUSTHT1	For height b	etween 5" -	27.75"				+ 68
CUSTOM HEIGHT	-CUSTHT2	For height b	etween 27.7	75" - 40.75"				+ 131
SLG	-SLG-M8	Self-leveling	g Glides					+84



# ■ SINGLE COLUMN X-BASES PRICING

	DADT #	COLUMN BASE MOUNTING RECOMMENDED TOP S		DED TOP SIZE	NET	LIST		
	PART#	DIAMETER	SPREAD	PLATE SIZE	ROUND	SQUARE	WEIGHT	PRICE
	XL-24-C	3"	20" x 20"	8" x 8"	20" - 24" Rd.	20" - 22" Sq.	15 lbs	348
	XL-30-C	3"	26" x 26"	8" x 8"	26" - 36" Rd.	26" - 30" Sq.	17 lbs	357
	XL-36-C	3"	32" x 32"	8" x 8"	32" - 42" Rd.	32" - 36" Sq.	19 lbs	364
STERS	XL-42-C	3"	36" x 36"	8" x 8"	36" - 48" Rd.	36" - 42" Sq.	21 lbs	372
	XL-48-C	3"	42" x 42"	8" x 8"	42" - 52" Rd.	42" - 48" Sq.	23 lbs	382
TH CA					RECTAN	NGULAR		
FIXED TOP STANDARD HEIGHT WITH CASTERS	XL-30/24-C	3"	26" x 20"	8" x 8"	30" x 24"		13 lbs	357
	XL-36/24-C	3"	32" x 20"	8" x 8"	36" x 24"		13 lbs	364
	XL-36/30-C	3"	32" x 26"	8" x 8"	36" x 30"		15 lbs	364
STAND	XL-42/24-C	3"	36" x 20"	8" x 8"	42" x 24"		13 lbs	372
TOP	XL-42/30-C	3"	36" x 26"	8" x 8"	42">	< 30"	15 lbs	372
IXED	XL-42/36-C	3"	36" x 32"	8" x 8"	42">	< 36"	15 lbs	372
Ľ	XL-48/24-C	3"	42" x 20"	8" x 8"	48")	< 24"	13 lbs	382
	XL-48/30-C	3"	42" x 26"	8" x 8"	48">	<30"	15 lbs	382
	XL-48/36-C	3"	42" x 30"	8" x 8"	48")	<36"	15 lbs	382
	XL-48/42-C	3"	42" x 36"	8" x 8"	48")	< 42"	16 lbs	382
					ROl	JND		
NITH SS	XL-24-QFC flip top	3"	20" x 20"	8" x 8"	20" - 2	 24" Rd.	20 lbs	588
FLIP TOP WITH CASTERS	XL-30-QFC flip top	3"	26" x 26"	8" x 8"	26" - 3	0" Rd.	25 lbs	597
FLIP	XL-36-QFC flip top	3"	32" x 32"	8" x 8"	32" - 3	6" Rd.	29 lbs	604

# ■ SINGLE COLUMN X-BASES PRICING

	DADT #	COLUMN	BASE	MOUNTING	RECOMMEND	DED TOP SIZE	NET	LIST
	PART#	DIAMETER	SPREAD	PLATE SIZE	ROUND	SQUARE	WEIGHT	PRICE
	XL-24-42	3"	20" x 20"	8" x 8"	20" - 24" Rd.	20" - 22" Sq.	15 lbs	335
	XL-30-42	3"	26" x 26"	8" x 8"	26" - 36" Rd.	26" - 30" Sq.	17 lbs	344
	XL-36-42	3"	32" x 32"	8" x 8"	32" - 42" Rd.	32" - 36" Sq.	19 lbs	351
	XL-42-42	3"	36" x 36"	8" x 8"	36" - 48" Rd.	36" - 42" Sq.	21 lbs	359
BAR HEIGHT	XL-48-42	3"	42" x 42"	8" x 8"	42" - 52" Rd.	42" - 48" Sq.	23 lbs	369
					RECTAN	NGULAR		
	XL-30/24-42	3"	26" x 20"	8" x 8"	30" x 24"		13 lbs	344
3AR H	XL-36/24-42	3"	32" x 20"	8" x 8"	36" x 24"		13 lbs	351
	XL-36/30-42	3"	32" x 26"	8" x 8"	36">	<30"	15 lbs	351
FIXED TOP	XL-42/24-42	3"	36" x 20"	8" x 8"	42")	⟨24"	13 lbs	359
	XL-42/30-42	3"	36" x 26"	8" x 8"	42">	<30"	15 lbs	359
	XL-42/36-42	3"	36" x 32"	8" x 8"	42">	⟨36"	15 lbs	359
	XL-48/24-42	3"	42" x 20"	8" x 8"	48")	< 24"	13 lbs	369
	XL-48/30-42	3"	42" x 26"	8" x 8"	48">	<30"	15 lbs	369
	XL-48/36-42	3"	42" x 30"	8" x 8"	48")	⟨36"	15 lbs	369
	XL-48/42-42	3"	42" x 36"	8" x 8"	48" >	< 42"	16 lbs	369



#### MULTI COLUMN X-BASES

Fabricated 11 gauge steel columns and 14 gauge feet with threaded inserts for levelers or casters. Bolted construction.



## FEATURES

UNIT HEIGHT: 27.75"

MOUNTING PLATE: 8" x 8" x 7/32" steel

LEVELING GLIDES: 1-3/8" diameter plastic with steel threaded inserts

FINISH: Stock color is Black. See page 84 for more color options

PACKAGING: 2XL ships in 2 boxes, 3XL ships in 3 boxes, 4XL ships in 4 boxes

## OPTIONS

BAR HEIGHT: Specify -42. Available for 2XL, 3XL, 4XL

CASTERS: Specify -C . 2" dual-wheel locking caster, 112 lbs capacity

SELF LEVELING GLIDES: Specify -SLG-M8. See page 73 for information

# ■ DUAL COLUMN X-BASES PRICING



	PART#	COLUMN DIAMETER	BASE SPREAD	RECOMMENDED TOP SIZE	NET WEIGHT	LIST PRICE
	2XL-2460	3"	53" x 20"	24" x 60"	31 lbs	576
	2XL-2466	3"	59" x 20"	24" x 66"	32 lbs	576
	2XL-2472	3"	62" x 20"	24" x 72"	33 lbs	576
RD	2XL-3060	3"	53" x 26"	30" x 60"	37 lbs	576
STANDARD	2XL-3066	3"	59" x 26"	30" x 66"	34 lbs	576
ST	2XL-3072	3"	62" x 26"	30" x 72"	35 lbs	576
	2XL-3672	3"	68" x 32"	36" x 72"	38 lbs	576
	2XL-3684	3"	78" x 32"	36" x 84"	40 lbs	576
	2XL-4284	3"	78" x 36"	42" x 84"	42 lbs	576
	2XL-2460-C	3"	53" x 20"	24" x 60"	31 lbs	690
	2XL-2466-C	3"	59" x 20"	24" x 66"	32 lbs	690
	2XL-2472-C	3"	62" x 20"	24" x 72"	33 lbs	690
S	2XL-3060-C	3"	53" x 26"	30" x 60"	37 lbs	690
CASTERS	2XL-3066-C	3"	59" x 26"	30" x 66"	34 lbs	672
Ö	2XL-3072-C	3"	62" x 26"	30" x 72"	35 lbs	672
	2XL-3672-C	3"	68" x 32"	36" x 72"	38 lbs	672
	2XL-3684-C	3"	78" x 32"	36" x 84"	40 lbs	672
	2XL-4284-C	3"	78" x 36"	42" x 84"	42 lbs	672
OPTIONS	-42	Bar Height 42"				126
OPT	-SLG-M8	Self-leveling Glide	9S			126



# ■ TRIPLE COLUMN X-BASES PRICING



PART#	COLUMN DIAMETER	BASE SPREAD	RECOMMENDED TOP SIZE	NET WEIGHT	LIST PRICE				
3XL-4296	3"	90" x 36"	42" x 96"	57 lbs	899				
3XL-42108	3"	102" x 36"	42" x 108"	54 lbs	921				
3XL-4896	3"	90" x 42"	48" x 96"	60 lbs	946				
3XL-48108	3"	102" x 42"	48" x 108"	62 lbs	949				
3XL-48120	3"	114" × 42"	48" x 120"	65 lbs	975				
-42	Bar Height 4	Bar Height 42"							
-SLG-M8	Self-leveling	elf-leveling Glides							

# ■ QUADRUPLE COLUMN X-BASES PRICING



PART#	COLUMN DIAMETER	BASE SPREAD	RECOMMENDED TOP SIZE	NET WEIGHT	LIST PRICE				
4XL-48144	3"	131" × 42"	48" x 144"	81 lbs	1,253				
-42	Bar Height 4	Bar Height 42"							
-SLG-M8	Self-leveling	Glides			210				

#### 4 & 5 COLUMN X-BASES

Fabricated 14 gauge steel with steel endcaps and threaded inserts for levelers or casters.

Bolted construction featuring 4-columns or 5-columns.







#### FEATURES

UNIT HEIGHT: 27.75"

MOUNTING PLATE: 4 column base - (4) 4" x 4" x 7/32" steel | 5 column base - (5) 10" x 10" cast spider

LEVELING GLIDES: 1-3/8" diameter plastic with steel threaded inserts

FINISH: Stock color is Black. See page 84 for more color options

PACKAGING: 4 column bases are packaged in 1 box | 5 column bases are packaged in 2 boxes

## OPTIONS

BAR HEIGHT: Specify -42. 4 column base only.

CASTERS: Specify -C. 2" dual-wheel locking caster, 112 lbs capacity

SELF-LEVELING

GLIDES: Specify -SLG-M8. See page 73 for information

## ■ 4 COLUMN X-BASES | 5 COLUMN X-BASES | PRICING

PART#	UNIT HEIGHT	COLUMN DIAMETER	BASE SPREAD	MOUNTING PLATE SIZE	RECOMMENDED TOP SIZE	NET WEIGHT	LIST PRICE
4XL-38	0775"	2"	00" 00"	(4) 4" × 4"	42"-60" Rd.	34 lbs	EE 4
4AL-30	27.75"	2	38" x 38"		42" - 60" Sq.	34105	554
4XL-38-C	27.75"	2"	38" x 38"	(4) 4" × 4"	42"-60" Rd.	34 lbs	630
4AL-30-C	21.15	2	30 X30	(4) 4 × 4	42" - 60" Sq.	34 105	030
4XL-38-42	40.75"	2"	38" x 38"	(4) 4" × 4"	42" - 60" Rd.	44 lbs	806
4XL-00-4Z					42"-60" Sq.		000
5XL-48	0775"	2"	48" x 48"	(5) 10" × 10"	60" - 84" Rd.	- 37 lbs	603
3AL-40	27.75"	2	40 840	(3) 10 × 10	60" - 72" Sq.		003
5XL-48-C	27.75"	2"	48" x 48"	(5) 10" × 10"	60" - 84" Rd.	37 lbs	679
37L-40-C	21.15	2	40 840	(3) 10 × 10	60" - 72" Sq.	37 105	6/9
-SLG-M8 Self-leveling Glides							

# SIENNA ROUND & SQUARE BASES

Sienna bases provide a modern look for offices, breakrooms, and training rooms. These bases feature a 4" column with 3/8" thick laser-cut solid steel and flush-mounted adjustable glides.







C4-22FPR

C442-222FPS

**Foot Ring Option** 

## FEATURES

UNIT HEIGHT: 27.75"

40.75"

WELDED

MOUNTING PLATE: 8" x 8" x 7/32" steel

COLUMN: 4" diameter

LEVELING GLIDES: 3/4" diameter plastic for leveling on uneven floors

FINISH: Stock colors are Black (-BL) and Metallic Silver (-MS)

See page 84 for more color options

PACKAGING: Bases are packed in 2 boxes; priced individually

Footring is packaged 1 per box

## OPTIONS

CUSTOM HEIGHT: Specify - CUSTHT1 for height between 5" - 27.75"

Specify -CUSTHT2 for height between 27.75" - 40.75"

Self-leveling Glides: Specify -SLG-M8

Round bases require 5 Self-leveling Glides Square bases require 4 Self-leveling Glides

See page 73 for information

FOOT RING: Specify -FR-4. 12" high

# ■ SIENNA ROUND & SQUARE BASES PRICING

PLATE TYPE	PART#	COLUMN DIAMETER	UNIT HEIGHT	PLATE SIZE	RECOMMENDED TOP DEPTH	NET WEIGHT	LIST PRICE (EACH)
	C4-18FPR	4"	27.75"	18" D	24"- 30"	38 lbs	509
	C4-22FPR	4"	27.75"	22" D"	30"-36"	51 lbs	612
	C4-26FPR	4"	27.75"	26" D"	36"- 48"	67 lbs	735
	C442-18FPR bar height	4"	40.75"	18" D	24"- 30"	41 lbs	572
ROUND	C442-22FPR bar height	4"	40.75"	22" D"	30"-36"	54 lbs	675
NOOND	C442-26FPR bar height	4"	40.75"	26" D"	36"-48"	70 lbs	798
	C442-18FPR-FR with foot ring	4"	40.75"	18" D	24"-30"	47 lbs	676
	C442-22FPR-FR with foot ring	4"	40.75"	22" D"	30"-36"	60 lbs	779
	C442-26FPR-FR with foot ring	4"	40.75"	26" D"	36"- 48"	76 lbs	902
	-SLG-M8	Self-levelin	ng Glides				+ 105
	C4-1818FPS	4"	27.75"	18" x 18"	24"- 30"	46 lbs	509
	C4-2222FPS	4"	27.75"	22" x 22"	30"-36"	65 lbs	612
	C4-2626FPS	4"	27.75"	26" x 26"	36"- 48"	86 lbs	735
	C442-1818FPS bar height	4"	40.75"	18" x 18"	24"- 30"	49 lbs	572
SOLIABE	C442-222FPS bar height	4"	40.75"	22" x 22"	30"-36"	68 lbs	675
SQUARE	C442-2626FPS bar height	4"	40.75"	26" x 26"	36"- 48"	89 lbs	798
	C442-1818FPS-FR with foot ring	4"	40.75"	18" x 18"	24"- 30"	55 lbs	676
	C442-222FPS-FR with foot ring	4"	40.75"	22" x 22"	30"-36"	74 lbs	779
	C442-2626FPS-FR with foot ring	4"	40.75"	26" x 26"	36"- 48"	95 lbs	902
	-SLG-M8	Self-levelin	ng Glides				+84
	FR-4		12"			6 lbs	+ 104
OPTIONS	-CUSTHT1	For height	between 5"	- 27.75"			+ 68
ō	-CUSTHT2	For height	between 27	.75" - 40.75"			+ 131

# SIENNA X BASES

Sienna X bases were designed for breakroom or conference room applications. The floor plate is heavy-duty 3/8" thick laser-cut solid steel.



## FEATURES

UNIT HEIGHT: 27.75" | 40.75" WELDED MOUNTING PLATE: 8" x 8" x 7/32" steel

COLUMN: Single column - 4" diameter

4 columns - 3" diameter

LEVELING GLIDES: 2-3/8" diameter plastic with steel threaded inserts
FINISH: Stock colors are Black (-BL) and Metallic Silver (-MS)

See page 84 for more color options

PACKAGING: Single column X base is packaged in 2 boxes

4 column X base is packaged in 5 boxes

## OPTIONS

CUSTOM HEIGHT: Specify -CUSTHT1 for height between 5" - 27.75"

Specify -CUSTHT2 for height between 27.75" - 40.75"

BAR HEIGHT: Specify -42

CASTERS: Specify -SC. 3" locking skate wheel caster with 112 lbs capacity

SELF LEVELING GLIDES: Specify -SLG-M8. See page 73 for information

# ■ SIENNA X BASES PRICING

COLUMNS	HEIGHT	PART#	COLUMN DIAMETER	UNIT HEIGHT	BASE SPREAD	RECOMMENDED TOP SIZE	NET WEIGHT	LIST PRICE (EACH)
		C4-2626FPP	4"	27.75"	26" x 26"	30"-36" DIA	26 lbs	582
	STANDARD	C4-3232FPP	4"	27.75"	32" x 32"	36"- 42" DIA	32 lbs	660
		C4-3636FPP	4"	27.75"	36" x 36"	42"- 48" DIA	39 lbs	767
1		C442-2626FPP	4"	40.75"	26" x 26"	30"-36" DIA	46 lbs	645
	BAR	C442-3232FPP	4"	40.75"	32" x 32"	36"- 42" DIA	49 lbs	723
		C442-3636FPP	4"	40.75"	36" x 36"	42"- 48" DIA	65 lbs	830
	CUSTOM	-CUSTHT1	For height between 5" - 27.75"					
		-CUSTHT2	For height	+ 131				
	STANDARD	4C3-4848FPP	3"	27.75"	48" x 48"	54"-72" RD	90 lbs	1,056
<b>A</b>	BAR	4C342-4848FPP	3"	40.75"	48" x 48"	54"- 72" DIA	100 lbs	1,308
4	CUCTOM	-CUSTHT1	For height	t between 5	5" - 27.75"			+ 272
	CUSTOM	-CUSTHT2	For height	t between 2	27.75" - 40.7	5"		+ 524
	0407570	00		.1.				. 100
OPTIONS	CASTERS	-SC	Skate Cas	sters				+ 128
	GLIDES	-SLG-M8	Self-leveli	ng Glides				+84



# SIENNA CAFÉ POWER BASES



Sienna Café Power low-profile bases are an authentic meeting solution conveniently allowing to charge via power or USB; a power cord runs through the base column for a clean look. Power is sold separately.

The effortless elegance of Node's clean, flush-mount design is sure to complement a wide range of aesthetics, stylish plated or powder coat finish belies a robust, die-cast construction. Refined but versatile, Node offers a range of power, data, and USB configurations.







#### FEATURES

UNIT HEIGHT: 27.75"

WELDED MOUNTING PLATE:  $12.5" \times 7" \times 2.5"$  steel COLUMN: 3" and 4" diameter

LEVELING GLIDES: 2 3/8" diameter plastic with steel threaded inserts

FINISH: Stock: Black (-BL) & Metallic Silver (-MS). See page 84 for more color options

PACKAGING: Bases are packed in 4 boxes

ELECTRICAL: 15 Amp power per outlet and 2 Amp per USB port, 120" power cord

Black or Silver

#### BASE OPTIONS

BAR HEIGHT: Specify -42

SELF LEVELING GLIDES: Specify -SLG-M8

Round bases use 5 | X bases use 4

See page 73 for information

FOOT RING: Specify -FR-4.12" high

#### ■ ELECTRICAL OPTIONS

■ 2-Power

■ 1-Power / 1 USB port

# ■ SIENNA CAFÉ POWER BASES PRICING

	PART#	COLUMN DIAMETER	UNIT HEIGHT	PLATE/ BASE SPREAD	RECOMMENDED TOP SIZE	NET WEIGHT	LIST PRICE (EACH)			
	CP-22FPR-3	3"	27.75"	22" D	30"- 36"	51 lbs	660			
	CP-26FPR-4	4"	27.75"	26" D	36"- 48"	67 lbs	808			
ROUND BASE	CP-22FPR-3-42 bar height	3"	40.75"	22" D	30"- 36"	60 lbs	723			
	CP-26FPR-4-42 bar height	4"	40.75"	26" D	36"- 48"	76 lbs	871			
	-SLG-M8 Self-leveling Glides									
				I						
	CP-2626FPP	3"	27.75"	26" x 26"	30"-36"	26 lbs	658			
	CP-3232FPP	3"	27.75"	32" x 32"	36"-42"	32 lbs	732			
	CP-3636FPP	4"	27.75"	36" x 36"	42"- 48"	39 lbs	869			
X BASE	CP-2626FPP-42 bar height	3"	40.75"	26" x 26"	30"- 36"	46 lbs	721			
	CP-3232FPP-42 bar height	3"	40.75"	32" x 32"	36"- 42"	49 lbs	795			
	CP-3636FPP-42 bar height	4"	40.75"	36" x 36"	42"- 48"	65 lbs	932			
	-SLG-M8	Self-levelin	+84							
OPTIONS	-FR-4		12"			6 lbs	+ 104			

	PART#	COLOR	CONFIGURATION	LIST PRICE (EACH)
	NODE-1PU-120-MS	Metallic Silver	1 Power / USB Duplex	+ 355
ELECTRICAL	NODE-1PU-120-B	Black	1 Power / 1 USB Duplex	+ 355
	NODE-2PU-120-MS	Metallic Silver	2 Power	+ 258
	NODE-2PU-120-B	Black	2 Power	+ 258



# SIENNA RECTANGLE BASE

Sienna Rectangle bases were designed for conference tables and collaboration applications. This base features two 3" diameter columns and a heavy-duty solid steel rectangular floor plate 3/8" thick.

#### FEATURES

UNIT HEIGHT: 27.75"

40.75

WELDED

MOUNTING PLATE: 6" x 6" x 7/32" steel

COLUMN: 3" diameter

LEVELING GLIDES: 3/4" diameter plastic with steel threaded inserts

FINISH: Stock colors are Black (-BL) and Metallic Silver (-MS)

See page 84 for more color options

PACKAGING: Base is packaged in 3 boxes



## OPTIONS

CUSTOM HEIGHT: Specify - CUSTHT1 for height between 5" - 27.75"

Specify -CUSTHT2 for height between 27.75" - 40.75"

BAR HEIGHT: Specify -42

SELF LEVELING GLIDES: Specify -SLG-M8. See page 73 for information

#### ■ SIENNA RECTANGLE BASE PRICING

BASE HEIGHT	# OF COLUMNS	PART#	COLUMN DIAMETER	UNIT HEIGHT	PLATE SIZE	RECOMMENDED TOP SIZE	NET WEIGHT	LIST PRICE (EA)
STANDARD	2	2C3-2230FPR	3"	27.75"	22" x 30"	30"-36" x 42" - 72"	92 lbs	898
BAR HEIGHT	2	2C3- 2230FPR-42	3"	40.75"	22" x 30"	30"-36" x 42" - 72"	101 lbs	1,024
CUSTOM	2	-CUSTHT1	For height	between 5	" - 27.75"			+ 136
HEIGHT	2	-CUSTHT2	For height between 27.75" - 40.75"					+ 262
GLIDE	s	-SLG-M8	Self-levelin	ng Glides				+ 126

# SIENNA T-LEG & C-LEG

Sienna T-Leg and C-Leg feature an elegant foot design for conference or training room tables. The bases are constructed with 3" diameter columns and a floor plate made of heavy-duty 3/8" thick laser-cut solid steel.



#### FEATURES

UNIT HEIGHT: 27.75" | 40.75"

WELDED Single column 5" x 8"

MOUNTING PLATE: Dual column 6" x 6"

COLUMN: Single column 2-3/4" x 2-3/4" square

Dual column 3" diameter

LEVELING GLIDES: 2-3/8" diameter plastic for leveling on uneven floors

FINISH: Stock colors are Black (-BL) and Metallic Silver (-MS)

See page 84 for more color options

PACKAGING: 2-floor plates per box

Single column bases are packaged in 2 boxes

Dual column bases are packaged in 3 boxes

Priced individually

#### OPTIONS

CUSTOM HEIGHT Specify - CUSTHT1 for height between 5" - 27.75"
FOR 1 & 2 COLUMN: Specify - CUSTHT2 for height between 27.75" - 40.75"

BAR HEIGHT FOR 1 & 2 COLUMN: Specify -42.

CASTERS: Specify -SC. 2.5" locking skate wheel caster with 112 lbs capacity

SELF LEVELING GLIDES: Specify -SLG-M8. See page 73 for information



# ■ SIENNA T-LEG & C-LEG BASE PRICING

LEG TYPE	LEG HEIGHT	PART#	UNIT HEIGHT	BASE SPREAD	RECOMMENDED TOP SIZE	NET WEIGHT	LIST PRICE (EACH)
		LGTL-18	27.75"	16"	18"-20"D x 24" - 120"W	15 lbs	240
	STANDARD	LGTL-24	27.75"	22"	24" D x 36" - 84"W	17 lbs	260
	HEIGHT	LGTL-30	27.75"	26"	30"- 36"D x 36" - 84"W	18 lbs	272
T-LEG SINGLE		LGTL-36	27.75"	32"	36"D x 42" - 96"W	20 lbs	306
COLUMN		LGTL-18-42	40.75"	16"	18"-20"D x 24" - 120"W	18 lbs	303
	BAR	LGTL-24-42	40.75"	22"	24" D x 36" - 84"W	20 lbs	323
	HEIGHT	LGTL-30-42	40.75"	26"	30"- 36"D x 36" - 84"W	21 lbs	335
		LGTL-36-42	40.75"	32"	36"D x 42" - 96"W	23 lbs	369
	STANDARD	LGCL-24	27.75"	22"	24"D x 36" - 84"W	17 lbs	260
C-LEG SINGLE	HEIGHT	LGCL-30	27.75"	26"	30"- 36"D x 36" - 84"W	18 lbs	272
COLUMN	BAR	LGCL-24-42	40.75"	22"	24"D x 36" - 84"W	20 lbs	323
	HEIGHT	LGCL-30-42	40.75"	26"	30"- 36"D x 36" - 84"W	21 lbs	335
	CUSTOM	-CUSTHT1	For height	between 5	" - 27.75"		+ 68
OPTIONS	HEIGHT	-CUSTHT2	For height		+ 131		
- OF HONS	CASTERS	-SC	Skate Cas	sters			+ 64
	GLIDES	-SLG-M8	Self-Leve	ling Glides			+ 42

# ■ SIENNA 2T-LEG BASE PRICING

LEG TYPE	LEG HEIGHT	PART#	UNIT HEIGHT	BASE SPREAD	RECOMMENDED TOP SIZE	NET WEIGHT	LIST PRICE (EACH)	
T-LEG	STANDARD HEIGHT	2C3-2LGTL-36	27.75"	32"	30"-36"D x 42" - 96"W	29 lbs	432	
DUAL COLUMN	BAR HEIGHT	2C3-2LGTL-36-42	40.75"	32"	30"- 36"D x 42" - 96"W	35 lbs	558	
	CUSTOM	-CUSTHT1	For height	+ 136				
ORTIONS	HEIGHT	-CUSTHT2	For height	+ 262				
OPTIONS	OPTIONS CASTERS -SC			Skate Casters				
	GLIDES	-SLG-M8	Self-leveli	ng Glides			+ 42	

# SQUARE END BASE

Fabricated 14 gauge 2" x1" rectangular tubular steel with threaded inserts for glides. Welded construction. Bases mount flush with the table edge.





1 Detail: base placement

## FEATURES

UNIT HEIGHT: 27.75"

WELDED

MOUNTING PLATE: 4-3/4" x 3-1/2" x 7/32"

COLUMN: 14 gauge steel, 2" x 1" rectangular tube profile

LEVELING GLIDES: 1-3/8" diameter nylon glide
FINISH: Stock color is Metallic Silver

See page 84 for more color options

PACKAGING: Bases are packaged 2 per box, priced individually

# ■ SQUARE END BASE PRICING

PART#	BASE SPREAD	RECOMMENDED TOP DEPTH	NET WEIGHT	LIST PRICE (EACH)
RSSB-24	24"	24"	14 lbs	311
RSSB-30	30"	30"	15 lbs	339



# SQUARE H-LEG

Fabricated 14 gauge 2" x 1" rectangular tubular steel with rectangular adjustable glides. Welded construction. Bases mount flush with the table edge.







Detail: base placement

Detail: rectangular adjustable glide

## FEATURES

UNIT HEIGHT: 27.75"

WELDED MOUNTING PLATE: 4-3/4" x 3-1/2" x 7/32" steel

COLUMN: 14 gauge steel, 2" x 1" rectangular tube profile

LEVELING GLIDES: 1-3/8" diameter nylon glide
FINISH: Stock color is Metallic Silver

See page 84 for more color options

PACKAGING: Bases are packaged 2 per box, priced individually

## ■ SQUARE H-LEG PRICING

PART#	BASE SPREAD	RECOMMENDED TOP DEPTH	NET WEIGHT	LIST PRICE (EACH)
RSHL-24	24"	24"	14 lbs	275
RSHL-30	30"	30"	15 lbs	311

#### STRUCTURE T-LEG & C-LEG

Structure bases present a clean and elegant look that complements various interiors. They feature 14 gauge 2" x 1" rectangular steel, bolted welded construction, and threaded inserts for glides.





#### **FEATURES**

UNIT HEIGHT: 27.75"

WELDED MOUNTING PLATE: 5" x 11" x 7/32" steel

COLUMN: 14 gauge steel, 2" x 1" rectangular tube profile

LEVELING GLIDES: 1-3/8" diameter nylon glide

CASTERS: 1-3/4" dual-wheel locking caster with silver cap,

112 lbs capacity

FINISH: Stock color is Metallic Silver

See page 84 for more color options

PACKAGING: Bases are packaged 2 per box, priced individually



RS2T-24-C

# OPTIONS

CASTERS: Specify -C2

## ■ STRUCTURE T-LEG & C-LEG PRICING

LEG TYPE	PART#	BASE SPREAD	RECOMMENDED TOP SIZE	NET WEIGHT	LIST PRICE (EACH)
	RS2T-18	16"	18" D x 48"- 84W	10 lbs	227
	RS2T-24	22"	24" D x 36"- 84W	11 lbs	234
T-LEG	RS2T-30	26"	30" D x 36"- 84W	12 lbs	242
	RS2T-24-C2 with casters	22"	24" D x 36"- 84W	11 lbs	270
	RS2T-30-C2 with casters	26"	30" D x 36"- 84W	12 lbs	278
	RS2C-24	22"	24" D x 36"- 84W	11 lbs	213
C-LEG	RS2C-30	26"	30" D x 36"- 84W	12 lbs	242
C-LEG	RS2C-24-C2 with casters	22"	24" D x 36"- 84W	11 lbs	249
	RS2C-30-C2 with casters	26"	30" D x 36"- 84W	12 lbs	278

#### STRUCTURE POST LEG

Fabricated 14 gauge 2" x 1" rectangular tubular steel post legs. Welded construction.

#### FEATURES

UNIT HEIGHT: 27.75"

WELDED

MOUNTING PLATE: 4" x 4" x 7/32"

COLUMN: 14 gauge steel, 2" x 1" rectangular tube profile

LEVELING GLIDES: Rectangular adjustable glide

CASTERS: 1-3/4" dual-wheel locking caster with silver cap,

112 lbs capacity

FINISH: Stock color is Metallic Silver

See page 84 for more color options

PACKAGING: Bases are packaged 4 per box, priced individually



Detail: rectangular adjustable glide



RSP

Caster

# ■ STRUCTURE POST LEG PRICING

PART#	UNIT HEIGHT	COLUMN SIZE	NET WEIGHT	LIST PRICE (EACH)
RSP	27.75"	2" x 1"	5 lbs	101
RSP-C2 with casters	27.75"	2"×1"	5 lbs	106

#### STRUCTURE 4X-BASE

Structure bases present a clean and elegant look that complements various interiors. Structure X-Base features 14 gauge 2" x 1" rectangular columns welded to a mounting plate. The one-piece foot is bolted to a column and features threaded inserts for glides.



# FEATURES

UNIT HEIGHT: 14.75" Occasional Height

27.75" Standard Height 40.75" Bar Height

WELDED

MOUNTING PLATE: 8" x 8" x 7/32"

COLUMN: 14 gauge steel,

(4) 2" x 1" rectangular tube profile

LEVELING GLIDES: 1-3/8" diameter nylon glide

FINISH: Stock color is Metallic Silver

See page 84 for more color options

PACKAGING: Bases are packaged in 2 boxes



# ■ STRUCTURE 4X BASE PRICING

BASE TYPE	PART #	UNIT HEIGHT	BASE SPREAD	RECOMMENDED TOP SIZE	NET WEIGHT	LIST PRICE (EACH)
	RS4X-24-16	14.75"	22" x 22"	24"	12 lbs	607
OCCASIONAL	RS4X-30-16	14.75"	26" x 26"	30"	13 lbs	630
HEIGHT	RS4X-36-16	14.75"	32" x 32"	36"	14 lbs	689
	RS4X-42-16	14.75"	38" x 38"	42" - 48"	15 lbs	754
	RS4X-24	27.75"	22" x 22"	24"	16 lbs	658
STANDARD	RS4X-30	27.75"	26" x 26"	30"	17 lbs	681
HEIGHT	RS4X-36	27.75"	32" x 32"	36"	18 lbs	740
	RS4X-42	27.75"	38" x 38"	42" - 48"	19 lbs	805
	RS4X-24-42	40.75"	22" x 22"	24"	21 lbs	722
BAR	RS4X-30-42	40.75"	26" x 26"	30"	22 lbs	745
HEIGHT	RS4X-36-42	40.75"	32" x 32"	36"	23 lbs	804
	RS4X-42-42	40.75"	38" x 38"	42" - 48"	24 lbs	869

#### STRUCTURE CUBE

Structure bases present a clean and elegant look that complements various interiors. Structure Cube base features 14 gauge 2" x 1" rectangular steel, bolted/welded construction, and threaded inserts for glides.



RSXO-36

#### **FEATURES**

UNIT HEIGHT: 27.75"

WELDED MOUNTING PLATE: 4" x 4" x 7/32"

COLUMN: 14 gauge steel, 2" x 1" rectangular tube profile

LEVELING GLIDES: 1-3/8" diameter nylon glide
FINISH: Stock color is Metallic Silver

See page 84 for more color options

PACKAGING: Bases are packaged 1 per box

# ■ STRUCTURE CUBE PRICING

PART#	BASE SPREAD	RECOMMENDED TOP SIZE	NET WEIGHT	LIST PRICE (EACH)
RSXO-32	32" x 32"	36" - 42"	30 lbs	535
RSXO-36	36" x 36"	48" - 54"	31 lbs	600
RSXO-42	42" x 42"	60" - 72"	35 lbs	681



# SPRING CLIP HEIGHT ADJUSTABLE BASES

Bolted construction 14 gauge tubular steel. Legs adjust in 1" increments by depressing the spring clip pin to release the outer column for height adjustment. When realigned with the outer column holes, the pin snaps back into a locking position. A thumbscrew locks the column in place.



## FEATURES

ADJUSTMENT RANGE: 24.75" to 34.75" WELDED MOUNTING PLATE: 7/23" steel

COLUMN: 2" diameter on outer column

LEVELING GLIDES: 1-3/8" diameter plastic with steel threaded inserts

FINISH: Stock color is Black

See page 84 for more color options, excludes Black Wrinkle

PACKAGING: Bases are packaged 2 per box

SPYL-AH are packaged 4 per box

Priced individually

#### OPTIONS

CASTERS: The base height will increase 2"

See page 73 for caster options

Specify -C CL-AH, 2CL-AH and 2TL-AH bases Specify -SC for SPYL-AH and 1ATL-AH

# ■ SPRING CLIP HEIGHT ADJUSTABLE BASES PRICING

LEG TYPE	PART#	BASE SPREAD	MOUNTING PLATE SIZE	RECOMMENDED TOP DEPTH	NET WEIGHT	LIST PRICE
POST LEG	SPYL-AH	1.5" DIA	4" × 4"	-	6 lbs	142
POSTLEG	SPYL-AH-SC Skate Caster	1.5" DIA	4" × 4"	-	6 lbs	142
	CL-18-AH	16"	5" x 8"	18" - 22"	9 lbs	288
C-LEG	CL-24-AH	22"	5" x 8"	24" - 28"	10 lbs	291
C-LEG	CL-30-AH	26"	5" x 8"	28" - 30"	11 lbs	295
	-C	Caster				+ 38
	TL-18-AH	16"	5" x 8"	18" - 20"	9 lbs	288
	TL-20-AH	18"	5" x 8"	20" - 22"	9 lbs	288
T-LEG	TL-22-AH	20"	5" x 8"	22" - 24"	10 lbs	291
I-EEG	TL-24-AH	22"	5"x 8"	24" - 28"	10 lbs	291
	TL-30-AH	26"	5" x 8"	28" - 30"	10 lbs	295
	-C	Caster				+ 38
	1ATL-18-AH	16"	5" x 8"	-	6 lbs	276
ARCHED	1ATL-24-AH	22"	5"x 8"	18" - 22"	9 lbs	280
LEG	1ATL-30-AH	26"	5" x 8"	24" - 28"	10 lbs	283
	-SC	Skate Caster	-			+ 64
	2CL-24-AH	22"	(2) 5" x 8"	18" - 22"	11 lbs	463
C-LEG DUAL COLUMN	2CL-30-AH	26"	(2) 5" x 8"	24" - 28"	9 lbs	466
	-C	Caster				+ 38
	2TL-24-AH	22"	(2) 5" x 8"	20" - 22"	9 lbs	463
	2TL-30-AH	26"	(2) 5" x 8"	22" - 24"	10 lbs	466
T-LEG DUAL COLUMN	2TL42-AH	36"	(2) 5" x 8"	24" - 28"	10 lbs	487
	2TL-48-AH	48"	(2) 5" x 8"	28" - 30"	10 lbs	499
	-C	Caster				+ 38



#### PATRIOT ELECTRIC HEIGHT ADJUSTABLE BASE

The Patriot Electric base offers an optimal solution for any adjustable height requirement in the office. This GSA-approved base is an excellent first step towards improving the efficiency and well-being of your organization while remaining budget-conscious.



#### FEATURES

FEET: T-Leg | C-Leg

COLUMN: 2-stage base: height range 27" - 46" with 19" stroke

3-stage base: height range 24" - 47" with 24" stroke

CONTROLLER: Up-down switch comes standard or optional programmable switch

FINISH: Stock colors are Black, specify -B; and Metallic Silver specify -MS

See page 85 for additional colors available with an extended lead time

PACKAGING: 2 column base is packaged in 1 box,

3 column bases are packed in 3 boxes

# ■ ELECTRICAL INFORMATION

MOTOR: Dual motor MOTOR NOISE: <43 dB

MAX LIFTING SPEED: 1-2/8"/sec POWER CONSUMPTION: .3W

OVERLOAD PROTECTION: 200 lbs FUNCTIONS: Soft-Start-Stop

#### OPTIONS

CONTROLLER: Specify PAT-DIG-HS for Digital Display with Memory Preset

STEEL TABLE SUPPORT: 42",54"

CASTERS: Specify PAT-C



# ■ PATRIOT ELECTRIC HEIGHT ADJUSTABLE BASES PRICING

STAGE	PART#	BASE TYPE	# OF COLUMNS	BASE SPREAD	RECOMMENDED TOP SIZE	NET WEIGHT	LIST PRICE (EACH)
	PAT-2STG-24T	T-Leg	2	22"	24" D x 48-84" W	55 lbs	1,647
	PAT-2STG-30T	T-Leg	2	28"	30" D x 48-84" W	55 lbs	1,661
	PAT-2STG-3COL-24T	T-Leg	3	22"	24" D x 60-72" W	80 lbs	2,533
2-STAGE	PAT-2STG-3COL-30T	T-Leg	3	28"	30" D x 60-72" W	80 lbs	2,547
2-STAGE	PAT-2STG-24C	C-Leg	2	22"	24" D x 48-84" W	55 lbs	1,647
	PAT-2STG-30C	C-Leg	2	28"	30" D x 48-84" W	55 lbs	1,661
	PAT-2STG-3COL-24C	C-Leg	3	22"	24" D x 60-72" W	80 lbs	2,533
	PAT-2STG-3COL-30C	C-Leg	3	28"	30" D x 60-72" W	80 lbs	2,547
	PAT-3STG-24T	T-Leg	2	22"	24" D x 48-84" W	55 lbs	1,785
	PAT-3STG-30T	T-Leg	2	28"	30" D x 48-84" W	55 lbs	1,799
	PAT-3STG-3COL-24T	T-Leg	3	22"	24" D x 60-72" W	80 lbs	2,686
3-STAGE	PAT-3STG-3COL-30T	T-Leg	3	28"	30" D x 60-72" W	80 lbs	2,700
3-3TAGE	PAT-3STG-24C	C-Leg	2	22"	24" D x 48-84" W	55 lbs	1,785
	PAT-3STG-30C	C-Leg	2	28"	30" D x 48-84" W	55 lbs	1,799
	PAT-3STG-3COL-24C	C-Leg	3	22"	24" D x 60-72" W	80 lbs	2,686
	PAT-3STG-3COL-30C	C-Leg	3	28"	30" D x 60-72" W	80 lbs	2,700
	PAT-DIG-HS	Digital Dis	play with M	emory Pres	set		+ 110
OPTIONS	STEEL TABLE SUPPORT	42"	+ 73				
OPTIONS	STELL TABLE SUFFORT	54"					+ 82
	PAT-C	Casters					+ 146



#### LIBERTY ELECTRIC HEIGHT ADJUSTABLE BASE

Liberty Electric bases are made in the USA and filled with the versatility to optimize various work environments. Exceptional value, dual motors, and three metal finishes make it the industry's #1 choice for sit-to-stand tables.



#### FEATURES

FEET: T-Leg

COLUMN: 2-stage base: height range 27" - 46" with 19" stroke

CONTROLLER: Up-down switch comes standard; or optional programmable switch

FINISH: Stock colors are Metallic Silver, specify -MS, Black, specify -B, and White specify -W

PACKAGING: Bases are packaged in 1 box | Bases are pre-assembled

# ■ ELECTRICAL INFORMATION

MOTOR: Dual motor

CONTROLLER: Up-down switch comes standard

Specify PAT-DIG-HS for Digital Display with Memory Preset

#### ■ LIBERTY ELECTRIC HEIGHT ADJUSTABLE BASES PRICING

PART#	BASE TYPE	# OF COLUMNS	BASE SPREAD	RECOMMENDED TOP SIZE	NET WEIGHT	LIST PRICE (EACH)
LIBERTY-B	T-Leg	2	22.24"	24" D x 48-72" W	55 lbs	1,207
LIBERTY-MS	T-Leg	2	22.24"	30" D x 48-72" W	55 lbs	1,207
LIBERTY-W	T-Leg	2	22.24"	24" D x 60-72" W	55 lbs	1,207
PAT-DIG-HS	Digital Dis	Digital Display with Memory Preset				

# FOLDING T-LEG & C-LEG

The molded folding mechanism is operated by a lever that can be pushed up by hand or foot, making a positive connection in both open and closed positions allowing legs to lay flat when the table is 60" or longer. Rising brackets must be used to fold smaller tables.





#### FEATURES

UNIT HEIGHT: 27.75"

COLUMN: 2" diameter

MECHANISM DIMENSION: 9" x 8" x 3"

RISING BRACKET: Specify -RISER, is necessary for folding tables under 60" long

LEVELING GLIDES: 1-3/8" diameter plastic with steel threaded inserts

FINISH: Stock color is Black. See page 84 for more color options PACKAGING: Bases are packaged in multiple boxes, priced individually

## OPTIONS

CASTERS: Specify -C. 2" dual-wheel locking caster 112 lbs capacity

## ■ FOLDING T-LEG & C-LEG BASES PRICING

	PART#	UNIT HEIGHT	COLUMN DIAMETER	BASE SPREAD	RECOMMENDED TOP DEPTH	NET WEIGHT	LIST PRICE
C-LEG	CL-18-GFM	27.75"	2"	16"	18" - 22"	8.5 lbs	427
	CL-24-GFM	27.75"	2"	22"	24" - 28"	9.5 lbs	430
	CL-30-GFM	27.75"	2"	26"	28" - 30"	10 lbs	434
T-LEG	TL-18-GFM	27.75"	2"	16"	18" - 20"	8.5 lbs	427
	TL-20-GFM	27.75"	2"	18"	20" - 22"	8.5 lbs	427
	TL-22-GFM	27.75"	2"	20"	22" - 24"	9.5 lbs	430
	TL-24-GFM	27.75"	2"	22"	24" - 28"	9.5 lbs	430
	TL-30-GFM	27.75"	2"	26"	28" - 30"	10 lbs	434
OPTIONS	-C	Casters					+ 38

#### KINGSTON FLIP BASE

The Kingston Flip base includes a set of two legs, a heavy tubular steel beam, a single-point release dual lock mechanism, and two hinges. The heavy-duty beam prevents the tabletop from sagging. Save space by nesting tables!









Arched-Leg flipped table



Release mechanism

# ■ FEATURES

UNIT HEIGHT: 27.75"

MOUNTING PLATE: 5" x 8" x 7/32"

CASTERS: Standard 2" locking casters are included with T-Legs.

Arched T-Legs come standard with 3" locking skate wheel casters

Both casters have a 112 lbs capacity

FINISH: Stock color is Black (-BL) and Metallic Silver (-MS)

See page 84 for more color options

PACKAGING: Bases are packaged 1 set (2 legs) in 1 box and beam in a separate box

# ■ KINGSTON FLIP C-LEG & T-LEG BASES PRICING

LEG TYPE	PART#	BASE SPREAD	RECOMMENDED TOP SIZE	NET WEIGHT	LIST PRICE
T-LEG	TLSF-1848	16" x 43"	18" x 48"	29 lbs	1,049
	TLSF-1860	16" x 55"	18" x 60"	31 lbs	1,067
	TLSF-1872	16" x 67"	16" x 72"	34 lbs	1,086
	TLSF-2448	22" x 43"	24" x 48"	29 lbs	1,049
	TLSF-2460	22" x 55"	24" x 60"	33 lbs	1,067
	TLSF-2472	22" x 67"	24" x 72"	36 lbs	1,086
	TLSF-3048	26" x 43"	30" x 48"	32 lbs	1,049
	TLSF-3060	26" x 55"	30" x 60"	34 lbs	1,067
	TLSF-3072	26" x 67"	30" x 72"	37 lbs	1,086
C-LEG	CLSF-1848	16" x 43"	18" x 48"	29 lbs	1,049
	CLSF-1860	16" x 55"	18" x 60"	31 lbs	1,067
	CLSF-1872	16" x 67"	16" x 72"	34 lbs	1,086
	CLSF-2448	22" x 43"	24" x 48"	29 lbs	1,049
	CLSF-2460	22" x 55"	24" x 60"	33 lbs	1,067
	CLSF-2472	22" x 67"	24" x 72"	36 lbs	1,086
	CLSF-3048	26" x 43"	30" x 48"	32 lbs	1,049
	CLSF-3060	26" x 55"	30" x 60"	34 lbs	1,067
	CLSF-3072	26" x 67"	30" × 72"	37 lbs	1,086
ARCHED LEG	ATLSF-2448	22" x 43"	24" x 48"	31 lbs	1,191
	ATLSF-2460	22" x 55"	24" x 60"	33 lbs	1,209
	ATLSF-2472	22" x 67"	24" x 72"	36 lbs	1,228
	ATLSF-3048	26" x 43"	30" x 48"	32 lbs	1,191
	ATLSF-3060	26" x 55"	30" x 60"	34 lbs	1,209
	ATLSF-3072	26" x 67"	30" x 60"	37 lbs	1,228



# CONVERTIBLE BASE

The Convertible Base's sleek design and construction deliver space efficiency; its unique structure allows straight-on nesting in the flipped position. Each table only takes up 4.5" of space. The base includes locking skate casters for easy mobility. A heavy-duty beam prevents the tabletop from sagging.



#### FEATURES

STRUCTURE: 14 gauge 1.5" diameter tubular columns bent and welded together at a 190° angle.

The two end bases are connected with a heavy-duty beam with two hinges and

one single point release mechanism in the center

MOUNTING PLATE: 5" x 8" x 7/32"

CASTERS: Black 3" locking skate wheel casters, 112 lbs capacity

FINISH: Stock color is Black. See page 84 for more color options

PACKAGING: Bases are packaged 1 set (2 legs) in 1 box and beam in a separate box

#### ■ CONVERTIBLE BASE PRICING

PART#	BASE SPREAD	RECOMMENDED TOP SIZE	NET WEIGHT	LIST PRICE
CV-1848	18" x 43"	18" x 48"	29 lbs	1,102
CV-1860	18" x 55"	18" x 60"	31 lbs	1,119
CV-1872	18" x 67"	16" x 72"	34 lbs	1,138
CV-2448	23.5" x 43"	24" x 48"	32 lbs	1,119
CV-2460	23.5" x 55"	24" x 60"	35 lbs	1,138
CV-2472	23.5" x 67"	24" x 72"	37 lbs	1,159
CV-3048	27.5" x 43"	30" x 48"	32 lbs	1,147
CV-3060	27.5" x 55"	30" x 60"	35 lbs	1,165
CV-3072	27.5" x 67"	30"×72"	37 lbs	1,184

# TRANSFORM-2 BASE

Transform-2 is a versatile contemporary base with straight-on nesting in the flip-top application. Its lightweight material, casters, and one-handed activation allow anyone to flip and move tables quickly. A perforated steel modesty panel is an integral part of the base providing privacy and an elegant look simultaneously. In addition, a continuous heavy-duty beam prevents the top from sagging.





Mechanism



**Nested Transform-2 Tables** 

### ■ FEATURES

STRUCTURE: 14 gauge 1.5" diameter tubular legs are connected by a modesty panel and a

stretcher with the flip-top mechanism. The modesty panel attaches to the legs

and extends 14" below the tabletop

UNIT HEIGHT: 28.75"

CASTERS: Black dual-wheel locking 2-1/4" diameter, 112 lb capacity

FINISH: Stock colors are Black (-BL) and

Metallic Silver (-MS)

PACKAGING: Each base is packaged in 2 boxes

### ■ TRANSFORM-2 BASE PRICING

PART#	BASE SPREAD	RECOMMENDED TOP SIZE	NET WEIGHT	LIST PRICE
TF2-1848	17" x 47"	18" x 48"	34 lbs	574
TF2-1860	17" x 59"	18" x 60"	38 lbs	622
TF2-1872	17" × 71"	18" x 72"	42 lbs	671
TF2-2448	19" x 47"	24" x 48"	35 lbs	669
TF2-2460	19" x 59"	24" x 60"	39 lbs	720
TF2-2472	19" x 71"	24" x 72"	43 lbs	780

# CASTERS & GLIDES

# **CASTERS**



# STANDARD CASTER

2" locking dual-wheel hooded casters, nylon.

25 mm x 8mm stem, 112 lbs capacity.

PART#	LIST PRICE
C-1	19



# LOCKING SKATE WHEEL CASTER

3" in-line skate wheel caster with gray ribbed core.

 $25 \text{mm} \times 8 \text{ mm} \text{ stem}, 112 \text{ lbs}$  capacity.

PART#	LIST PRICE
SC-1	32



# ■ HARD SURFACE CASTER

2" locking dual-wheel hooded caster with soft polyurethane for use on hard surfaces.

22 mm x 8mm stem, 112 lbs capacity.

PART#	LIST PRICE
HSC-1	25



# ADJUSTABLE LEVELING GLIDE

GLIDES

Metric thread: can be used on most Special-T table bases, 1-3/8" diameter nylon cap; 2" long.

PART#	LIST PRICE
ALG-1	4



# ■ SELF-LEVELING GLIDE

Automatically stabilizes the table. Easy to install. Requires no adjustment. Automatically adjusts 5/16" on any uneven surface. 1-3/8" diameter nylon cap. SLG-M8 features an 8 mm stem.

PART#	LIST PRICE
SLG-1	21
SLG-M8	21

# PERFORATED STEEL MODESTY PANELS

Perforated steel modesty panels provide stability, privacy, and style to any table. The panel attaches directly to the work surface with screws. It is fabricated with 18 gauge steel and includes a built-in wire channel for wire management.

# FEATURES

STRUCTURE: Perforation pattern is 3/16" diameter holes

spaced 1-3/4" apart. Cable cutout is 1-1/2" x 3" The 3" x 3" wire channel runs through the

bottom of the modesty panel

PANEL HEIGHT: 10" H

ATTACHMENT: Modesty panel attaches to the top with screws

FINISH: Stock color is Black

See page 84 for more color options


PACKAGING: Packaged 2 per box, priced individually





# ■ PERFORATED STEEL MODESTY PANELS PRICING

PART#	LENGTH	HEIGHT	RECOMMENDED TOP SIZE	# OF CABLE CUTOUTS	CABLE CUTOUT POSITION	NET WEIGHT	LIST PRICE
MP-1030	30"	10"	30"	1	center	10 lbs	190
MP-1042SF	42"	10"	42"	1	center	13 lbs	247
MP-1048SF	48"	10"	48"	1	center	14 lbs	288
MP-1054SF	54"	10"	54"	1	center	15 lbs	330
MP-1060SF	60"	10"	60"	2	12" from each end	16 lbs	347
MP-1066SF	66"	10"	66"	2	12" from each end	20 lbs	388
MP-1072SF	72"	10"	72"	2	12" from each end	22 lbs	424
MP-1084SF	84"	10"	84"	3	1 in the center 2 12" from each end	25 lbs	490
MP-1096SF*	96"	10"	96"	3	1 in the center 2 12" from each end	29 lbs	533





# FROSTED ACRYLIC MODESTY PANELS AND PRIVACY SCREENS

Frosted Acrylic Privacy Screens and Modesty panels provide an attractive and durable option to traditional acrylic products. The superiority of Frosted Acrylic is in its excellent light diffusion, rigidity, and smudge-resistant surface. It is truly a high-quality product designed for years of performance.

# **FEATURES**

**PANELS** 

STRUCTURE: Scratch and smudge resistant with smooth

edges and corners

COLOR: Frosted White

SIZE: 14" H x 47" L, 59" L, 71" L; 3/8" thick

**BRACKETS** 

MATERIAL: Extruded aluminum

STRUCTURE: Durable, permanent attachment with 2

screws per bracket underneath the table for a seamless look when used in combination with the privacy screens and modesty panels. Compatible with 1" - 1.25"

tabletops

2 BRACKETS Are included for 47" and 59" panels

3 BRACKETS Are included for 71" panels





# ■ FROSTED ACRYLIC MODESTY PANELS AND PRIVACY SCREENS PRICING

ТҮРЕ	PART#	SIZE	RECOMMENDED TOP SIZE	NET WEIGHT	LIST PRICE
	AP-1248-MP	12" x 47"	48" L	5 lbs	439
MODESTY PANEL	AP-1260-MP	12" x 59"	60" L	6 lbs	512
	AP-1272-MP	12" x 71"	72" L	7 lbs	586
	AP-1448-PS-BR	14" x 47"	48" L	5 lbs	400
PRIVACY SCREEN	AP-1460-PS-BR	14" x 59"	60" L	6 lbs	466
	AP-1472-PS-BR	14" x 71"	72" L	7 lbs	533

# LAMINATE MODESTY PANELS

Laminate modesty panels can match the tabletop or make a statement with a different color laminate.

# FEATURES

PANEL SIZE: 3/4" thick, 10" high and 1/4" shorter than the

top length

ATTACHMENT: Permanently attaches directly to the table

Mounting brackets are included

COLORS: Any standard WilsonArt or Formica laminate

on both sides

EDGE: PVC



# ■ LAMINATE MODESTY PANELS PRICING

PART#	LENGTH	RECOMMENDED TOP LENGTH	NET WEIGHT	LIST PRICE
MPL-1036	35.75"	36"	7 lbs	226
MPL-1042	41.75"	42"	8 lbs	242
MPL-1048	47.75"	48"	9 lbs	262
MPL-1054	53.75"	54"	10 lbs	268
MPL-1060	59.75"	60"	11 lbs	270
MPL-1066	65.75"	66"	12 lbs	293
MPL-1072	71.75"	72"	13 lbs	344
MPL-1084	83.75"	84"	16 lbs	404
MPL-1096*	95.75"	96"	18 lbs	462





### POWER & DATA

# - BURELE™ -



Burele brings customizability to a new level. That's why it lives up here on the work surface, where work gets done. It offers blended power options, including USB ports for phones, tablets, and more. Personalize its sleek, high-gloss plastic finish with color, artwork, and messaging.

# **OPTIONS**

■ 2 Power, QuickShip in Black or White

# DESCRIPTION

- Colors: Black or White
- Removable above surface mount
- 72" plug power cord

# CUSTOM FEATURES - CONTACT CUSTOMER SERVICE

- More finish options
- 120" plug power cord



PART#	COLOR	CONFIGURATION	LIST PRICE
BURELE-2P-72-B	Black	2 Power	219
BURELE-1P1U-72-B	Black	1 Power / 1 USB Duplex	311
BURELE-2P-72-W	White	2 Power	219
BURELE-1P1U-72-W	White	1 Power / 1 USB Duplex	311

### POWER & DATA

# - EZ POWER -

The EZ Power can easily integrate into existing worksurfaces with a simple clamp-on attachment. For example, a convenient tablet or phone holder is built into a clamp mount to keep your desk organized. In addition, 3-power outlets and 1-USB duplex provide the flexibility to maintain all devices well charged.



# DESCRIPTION

- 3 AC 15 Amp receptacle and 3.1 Amp combined USB duplex
- 96" plug power cord
- Surge protection up to 510 Joules
- Colors: Black or White
- Removable above the surface mount
- QuickShip

# **OPTIONS**

■ 3 Power / 1 USB Duplex



# ■ EZ POWER PRICING

PART#	COLOR	CONFIGURATION	LIST PRICE
EZPOWER-3P1U-B	Black	3 Power / 1 USB Duplex	247
EZPOWER-3P1U-W	White	3 Power / 1 USB Duplex	247



# WIRE MANAGEMENT

# HORIZONTAL WIRE MANAGEMENT



# ■ LOOP CLIPS

Package of 4 wire management clips with screws.

PART#	LIST PRICE
WM-LOOPCLIP	5



# ■ VELCRO LOOP

Package of 4 Velcro hook & loop wire management clips.


PART#	LIST PRICE
WM-VELCRO	14



# ■ CABLE GRIP

Grip wire manager that holds 5 cords.

PART#	LIST PRICE	
WM-CABLE-GRIP	17	



# J-SHAPE WIRE CHANNEL

J-shape wire management channel with double-sided adhesive tape to be fastened under a desk/work surface to keep cables up and out of the way. Available in 4, 5, and 6-foot lengths. 4-5/16" overall flange, 1-3/32" deep, with a serrated finish. The trough is 2-9/16" high. The stock color is Black.

PART#	LIST PRICE
JWM-4	49
JWM-5	61
JWM-6	73



# ■ LOCKING WIRE CHANNEL

Black 32" plastic latching wire manager.

PART#	LIST PRICE
WM-SNAP-CHANNEL	19



# ■ WIRE TROUGH

27.6" metal wire trough management unit, available in black and silver.

PART#	COLOR	LIST PRICE
WM-TROUGH-B	Black	35
WM-TROUGH-MS	Metallic Silver	35

# WIRE TRAY

20" wire management tray available in black or silver.



PART#	COLOR	LIST PRICE
WM-TRAY-20-B	Black	27
WM-TRAY-20-MS	Metallic Silver	27

# WIRE MANAGEMENT

# VERTICAL WIRE MANAGEMENT



# ■ LEG CLIP

2" wide leg clip wire manager available in black and silver.

PART#	COLOR	LIST PRICE
WM-LEGCLIP2-B	Black	17
WM-LEGCLIP2-MS	Metallic Silver	17



# ■ MAGNETIC CHANNEL

2" wide magnetic wire manager available in black and silver.

PART#	COLOR	LIST PRICE
WM-MAG-CHANNEL-B	Black	99
WM-MAG-CHANNEL-MS	Metallic Silver	99



# ■ 1" WIRE CHANNEL

Adhesive vertical table leg wire manager, 24" long, available in black and gray

PART#	COLOR	LIST PRICE
WM-24-B	Black	62
WM-24-GR	Gray	62



# ADJUSTABLE SPINE

51" spine wire management conceals and carries wires from under the desk to the floor.

It screws under the desk and comes with a weighted base.

PART#	LIST PRICE	
WM-SPINE-TR	231	



# ■ METAL SNAP-ON

Features an easy snap-on installation that allows for repositioning. Two options for 2" and 3" columns with a capacity for multiple power and data cables. 17-3/4" length; available in Black (-BL) and Metallic Silver (-MS) finish.

PART#	LIST PRICE
SNAP-WM for 2" column	81
SNAP-WM3 for 3" column	81





# TABLE CONNECTORS



# QUICK ALIGN TABLE CONNECTOR

Connect two or more tables and add flexibility to any space. 6-1/4" x 2-1/2" steel plate, 2 plastic knobs.

PART#	LIST PRICE
QA	76

# TOP SUPPORT



# STEEL TOP SUPPORT

10 gauge channel, includes screws. Available in 42" or 54" lengths.

PART#	LIST PRICE
STS-42	73
STS-54	82

# MONITOR ARMS

# ■ FEATURES & BENEFITS

# WIDE MOTION RANGE

Monitors can be easily adjusted with a swivel of +-90°, a tilt from +75° to -45° and 90° pivot movements. Adjust monitors to different heights or angles and portrait or landscape positions.

# **GAS SPRING LIFT**

Counter-balanced gas spring provides effortless one-touch position adjustments and can handle up to 22 lbs. In addition, a simple twist of a screw can modify the Mount's capacity.

# INTEGRATED CABLE MANAGEMENT

Wires are not visible inside the cable clips that keep your work surface tidy and clutter-free.

# QUICK-RELEASE BRACKET

Makes monitor installation and removal fast and easy. Compatible with all VESA compliant monitors – includes 75mm and 100mm VESA standard mounting plates.

# TWO INSTALLATION OPTIONS

 $\label{thm:monitor} \mbox{Monitor Arms include both desk clamp or grommet options} \\ \mbox{for installation.}$ 

SINGLE MONITOR ARM

# ■ TECHNICAL SPECIFICATIONS AND PRICING

	SINGLE MONITOR ARM FOR 1 MONITOR	DUAL MONITOR ARM FOR 2 MONITORS	SINGLE MONITOR ARM WITH CROSS BAR FOR 2 MONITORS
Part Number	MA-S1-A1	MA-S1-A2	MA-S1-X2
List Price	402	708	574
Monitor Size	up to 30"	up to 24"	up to 24"
Weight Capacity	4.4 - 22 lbs. monitor	4.4 - 22 lbs. monitor	4.4 - 22 lbs. monitor
Lift	13-3/8"	13 3/8"	13 3/8"
Tilt	+75°~45°	+75°~45°	+75°~45°
Swivel	±90°	±90°	±90°
Pivot	±90°	±90°	±90°
VESA	75 x 75 100 x100	75 × 75 100 ×100	75 x 75 100 x100
N.W.	7.7 lbs.	15 lbs.	11.4 lbs.



# ONE DAY QUICK SHIP - TABLETOPS

Table tops feature a durable thermofused material for office and restaurant use with several color options and edges. In addition, all tops 60" or longer include a steel top support to prevent the top from sagging.

# FEATURES


STRUCTURE: 1" thick top; 45" density particle board core

LAMINATE: 8 low pressure laminate colors with

matching PVC edge

PACKAGING: Tops are packaged individually

# ONE DAY QUICK SHIP TABLETOPS COLOR OPTIONS



# ONE DAY QUICK-SHIP TABLETOPS WITH MATCHING EDGES PRICING"

TABLE SHAPE	PART#	SIZE	NET WEIGHT	LIST PRICE
RECTANGLE	1DT-1860	18" x 60"	30 lbs	473
	1DT-1872	18" x 72"	36 lbs	536
	1DT-2448	24" x 48"	32 lbs	446
	1DT-2460	24" x 60"	40 lbs	489
	1DT-2472	24" x 72"	48 lbs	575
	1DT-3060	30" x 60"	50 lbs	575
	1DT-3072	30" x 72"	60 lbs	633
SQUARE	1DT-3636	36" x 36"	36 lbs	497
	1DT-4242	42" x 42"	49 lbs	590
ROUND	1DT-36R	36"	28 lbs	534
	1DT-42R	42"	38 lbs	621

<sup>\*\*</sup>Specify code for color

# **METAL FINISH COLORS**

# QUICK SHIP STOCK COLORS





METALLIC SILVER

BLACK

# POWDER COAT COLORS



# METALLIC POWDER COAT COLORS









METALLIC GUN METAL SAND

METALLIC PLATINUM

STEEL SILVER

# NON-POWDER COAT COLORS





STAINLESS STEEL\*

BLACK WRINKLE

NON-STOCK FINISHES LEAD TIME: 10 - 15 BUSINESS DAYS. Metal finishes vary by base style | Additional charges may apply Images are representative of the material and may not be an exact match



<sup>\*</sup> Only available for Cast Iron-2 Series \*\* Not available in powder coat finishes

# **PATRIOT METAL FINISH COLOR OPTIONS**

# PATRIOT QUICK SHIP STOCK COLOR



METALLIC SILVER |MS| METALLIC SEMI-GLOSS

# PATRIOT METAL COLORS





# IMPORTANT INFORMATION

# CONVENIENT PAYMENT OPTIONS

Faxed check, Visa, MasterCard, American Express, and Discover

Special-T is an ISO 9000/9001 certified manufacturer; our products meet or exceed all relevant ANSI/BIFMA standards. We are committed to the highest degree of quality and craftsmanship. Our Quality Management System is designed to guarantee the highest price-quality ratio.

# **TERMS**

Upon credit approval, terms are net 30-days from the date of invoice. Before approved credit, payment must be received before shipping. We accept Visa, Master Card, Discover, and American Express. When you provide a faxed or mailed check, you authorize us to use information from your check to make one-time electronic funds transfer from your account or process this transaction as a check. All custom orders require a 50% deposit. COD payment method is not accepted.

### LEAD-TIMES

Lead-time for all products in the stocked finish is 24 hours after the order is confirmed. Non-stocked finishes, lead-time is 10-15 business days. Please contact the Special-T Customer Service Department at (888) 705-0777 to check availability. Can expedite specific orders for an additional 10% Expedited Order Fee.

# **ACKNOWLEDGMENT OF ORDERS**

All orders are entered, manufactured, and shipped according to the acknowledgment. Notify Special-T immediately of any discrepancy.

### **PRICES**

All prices are subject to change without notice.

# **CANCELLATION POLICY**

Custom orders are not subject to cancellation.

### SHIPMENT INFORMATION

Orders will ship via UPS or a common LTL carrier, whichever is the least expensive. Orders may ship collect on a designated alternative LTL carrier. Special and international shipping arrangements will be made as necessary and noted on the original Purchase Order. All orders are shipped FOB our warehouse. We do not ship COD. The buyer accepts legal responsibility for the merchandise when shipped. Upon receipt, please inspect the shipment thoroughly for visible and possible concealed damage. If a package is lost or damage is discovered, the responsible receiving party should note this with the carrier and file a claim immediately.



Customer Service:

2 888.705.0777

CONTACT Customerservice@specialt.net

Warranty:

2 888.705.0777

Warranty@specialt.net

# WARRANTY

May 15, 2020

To expedite your warranty claims quickly and accurately, go to specialt.net/claims and fill out the Warranty/Freight claim form. All claims must reference the original Purchase Order number and Special-T Sales Order or Invoice number.

Patriot Electric and Liberty Electric Height Adjustable Tables and Bases are warranted to the original purchaser for 10 years from the date of delivery, under normal use for one 8-hour shift per day against manufacturing defects. We will repair or replace, at our discretion, any products that we determine to be defective as a result of faulty workmanship. In no event shall our liability under this warranty exceed the original purchase price of the product determined to be defective. This warranty does not apply where the product has been abused, mishandled, or subjected to use other than that for which it was designed. For purposes of this warranty, normal wear to the product finish shall not be considered a defect.

**Table Bases Only.** Bases are warranted to the original purchaser for 10 years from the date of delivery, under normal use, against manufacturing defects. We will repair or replace, at our discretion, any products that we determine to be defective as a result of faulty workmanship. In no event shall liability under this warranty exceed the original purchase price of the product determined to be defective. This warranty does not apply where the product has been abused, mishandled, or subjected to use other than that for which it was designed, including excessive weight and top size limitations. This warranty does not apply to normal wear and tear or damage caused by accident, neglect, misuse, or improper installation or operation. There are no other warranties expressed or implied.

Tabletops Only. Tabletops purchased separately are warranted for one (1) year from the original invoice date against poor workmanship and manufacturing defects. We retain the right to replace or repair at our discretion any products or parts thereof which are found defective in materials or workmanship. This warranty becomes invalid for products engineered by the client, whereas the construction method and material specifications of final product assembly adversely affect materials and workmanship. In no event, shall liability under this warranty exceed the original purchase price. This warranty becomes invalid if the product or parts exhibits abuse or improper or unusual use. This warranty is invalid if the product is subject to caustic or abrasive cleaning agents or sharp objects that cause damage. This warranty is invalid if the product is altered from its original condition or the client performs additional processing on the product that results in any alteration from its original condition. This warranty does not cover self-edge tops and/or tops where table legs/bases are more than 60" apart and do not include steel top support. Our tables and tabletops are not for outdoor use. Any damage related to outdoor use is not covered under this warranty. This warranty does not apply to normal wear and tear or damage caused by accident, neglect, misuse, or improper installation or operation. This warranty is expressly made in lieu of any and all other warranties expressed or implied.



**Customer Service:** 888.705.0777 customerservice@specialt.net CONTACT **INFORMATION** 

Warranty:

888 705 0777



warranty@specialt.net

**WARRANTY** 

May 15, 2020

Power & Data: All Power and Data components are warranted for 1 year from the date of the original invoice against poor workmanship and manufacturing defects. This warranty becomes invalid for products engineered by the client, whereas the construction method, material specifications of final product assembly adversely affect materials and or workmanship. In no event, shall liability under this warranty exceed the original purchase price. This warranty does not apply to normal wear and tear or damage caused by accident, neglect, misuse, or improper installation or operation.

Monitor Arms are warranted to the original purchaser for 10 years from the delivery date, under normal use for one, 8-hour shift per day, against manufacturing defects. We will repair or replace, at our discretion, any products that we determine to be defective as a result of faulty workmanship. In no event shall our liability under this warranty exceed the original purchase price of the product determined to be defective. This warranty does not apply where the product has been abused, mishandled, or subjected to use other than that for which it was designed. This warranty does not apply to normal wear and tear or damage caused by accident, neglect, misuse, or improper installation or operation.

Chairs: Special-T warrants to the original purchaser of the product and from the original date of sale the following: Lifetime Warranty to the original end-user; the company will repair or replace, at its option, factory defective structural and mechanical parts with a comparable product without charge. This warranty is for a single shift, standard commercial usage, defined as a standard 8-hour workday, five days a week. Weight limitation varies by product. Upholstery fabric and foam are warranted against wear through and deterioration during normal usage for five (5) years. COM and COL are not warranted.

Wellness and Privacy Screens: Clear Plexiglas, Frosted Acrylic, and PET Wellness and Privacy Screens are warranted for 10 years from the date of delivery against defects in materials or workmanship, subject to the limitations exclusions and other provisions detailed below. This limited warranty only applies to the original purchaser. The limited warranty is terminated upon transfer, sale, or modification of the product. In no event, shall liability under this warranty exceed the original purchase price. This warranty does not apply to normal wear and tear or damage caused by accident, neglect, abuse, misuse, vandalism, disaster, improper storage, improper cleaning, chemical damage, improper installation, operation, environmental factors, or discoloration due to sunlight or indoor lighting. This warranty does not apply to changes in surface finish due to aging or prolonged exposure to fluids or sun. In the event of repair and/or replacement of any defective product, Special-T does not warrant matching color, texture, or dye lots except within commercially reasonable standards. This warranty is expressly made in lieu of any and all other warranties expressed or implied.

Labor Warranty is subject to written approval. It does not cover labor costs associated with concealed freight damage.



# WARRANTY & RETURN

**RETURN POLICY** 

**Customer Service:** 



888.705.0777

CONTACT

**INFORMATION** 

customerservice@specialt.net

Warranty:



888 705 0777



warranty@specialt.net

The Return of any merchandise to the Special-T, LLC, warehouse must be authorized prior to shipment.

- · All returns must be accompanied by a Return · The following items are non-returnable and non-Merchandise Authorization Form (RMA). The RMA refundable: must be requested within thirty (30) days of the original invoice date. Please contact Customer Service at 888.705.0777, Monday to Friday, 8:00 AM to 5:00 PM EST. Upon approval of the return, send the prepaid shipment to 11820 Wills Road, Suite 140, Alpharetta, GA 30009-0256.
- Tops 30% restocking fee will apply if received in new
- Bases 25% restocking fee will apply if received in new condition
- Products must be in new condition and in their original carton

- - Custom table tops
  - o Power and data units
  - o Closeout tables and bases
  - Custom metal paint and Black Wrinkle finish
  - Metal bases with irreversible alterations



TABLES, BASES & ACCESSORIES



11820 Wills Rd, Suite 140, Alpharetta, GA 30009 888.705.0777