

Authorized Federal Supply Schedule Price List Effective January 1, 2011





General Services Administration Federal Supply Service Office Furniture FSC Group 71, Part 1 Contract Numbers: GS28F-0015W (711-11) GS-28F-0014W (71-308) Contract Period: January 1, 2010 through December 31, 2014 Classified: Woman Owned Small Business

Special•T 11810 Wills Road, Suite 120 • Alpharetta, Georgia 30009 678-879-0777 • Fax 678-456-6046 www.specialt.net









GSA CONTRACT & ORDERING INFORMATION

- GSA CONTRACT: GSA-289F-0015W (711-11) GSA-28F-0014W (71-308) Small Business Set-Aside
- CONTRACT PERIOD: 1 JANUARY 2010 THRU 31 DECEMBER 2014
- CLASSIFIED: WOMAN OWNED SMALL BUSINESS
- 1A. SPECIAL ITEM NUMBER: SIN 711-11.....TABLES AND ACCESSORIES SIN-711-308...CAFETERIA & FOOD SERVICE (SMALL BUSINESS SET-ASIDE)
- 2. MAXIMUM ORDER LIMITATION: \$500,000 SIN 711-11 TABLES AND ACCESSORIES \$125,000 SIN 711-208 CAFETERIA & FOOD SERVICE FURNITURE
- 3. MINIMUM ORDER: **\$100.00**
- 4. GEOGRAPHIC COVERAGE: 48 CONUS AND WASHINGTON DC
- 5. POINT OF PRODUCTION: ALPHARETTA, GA 30009-2081
- 6. DISCOUNT: PRICES SHOWN ARE GSA NET
- 7. SINGLE ORDER QUANTITY DISCOUNT: NONE OFFERED
- 8. PROMPT PAYMENT TERMS: NET 30 DAYS
- 9A. GOVERNMENT PURCHASE CARDS ARE ACCEPTED AT OR BELOW THE MICRO-PURCHASE THRESHOLD
- 9B. GOVERNMENT PURCHASE CARDS ARE ACCEPTED ABOVE THE MICRO-PURCHASE THRESHOLD
- 10. FOREIGN TERMS: NOT AVAILABLE
- 11A. TIME OF DELIVERY: 45-90 DAYS A.R.O.
- 11B. EXPEDITED DELIVERY: **"5" DAY ITEMS AVAILABLE ARE** NOTED IN COMMERCIAL PRICE LIST
- 11C. OVERNIGHT AND 2 DAY DELIVERY: CONTACT FACTORY
- 11D. URGENT REQUIREMENTS: CONTACT FACTORY
- 12. FOB POINT: ORIGIN; FREIGHT PREPAID AND ALLOWED ORDERS UNDER \$5,000 LIST ARE SUBJECT TO A \$75 HANDLING CHARGE



13. ORDERING ADDRESS: Special•T DIVISION OF GLOBAL RESOURCES (C/O) AUTHORIZED DEALER IF APPLICABLE)

> 11810 WILLS ROAD SUITE 120 ALPHARETTA, GA 30009 PHONE: 888-705-0777 FAX: 678-456-6046 EMAIL: STEVE@SPECIALT.NET

- 13B. ORDERING PROCEDURES: FOR SUPPLIES AND SERVICES, THE ORDERING PROCEDURES, INFORMATION ON BLANKET PURCHASE AGREEMENTS (BPA'S) ARE FOUND IN FEDERAL ACQUISITION REGULATION (FAR) 8.405-3
- 14. PAYMENT ADDRESS: SAME AS ABOVE
- 15. WARRANTY: Special•T DIVISION OF GLOBAL RESOURCES WARRANTED TO THE ORIGINAL PURCHASE FOR A PERIOD OF 10 YEARS FROM THE DATE OF DELIVERY
- 16. EXPORT PACKING CHARGES: N/A
- 17. TERMS OF GOVERNMENT COMMERCIAL CREDIT CARD ACCEPTANCE: N/A
- 18. RENTAL, MAINTENANCE, AND REPAIRS TERMS: N/A
- 19. INSTALLATION TERMS: CONTACT FACTORY OR PARTICIPATING DEALER
- 20. REPAIR PARTS, ETC. SEE WARRANTY
- 21 LIST OF SERVICE AND DISTRIBUTION POINTS: CONTACT FACTORY
- 22. LIST OF PARTICIPATING DEALERS: CONTACT FACTORY
- 23. PREVENTIVE MAINTENANCE: CONTACT FACTORY
- 24. ENVIRONMENTAL ATTRIBUTES: IN COMPLIANCE
- 24a. Special attributes such as environmental attributes (e.g., recycled content, energy efficiency and/or reduced pollutants). **CONTACT FACTORY**



11810 Wills Road, Suite 120 • Alpharetta, Georgia 30009 • 678-879-0777 • Fax 678-456-6046 • www.specialt.net





24B. SECTION 508 COMPLIANCE: N/A

- 25. DUNS: 196782788 FED ID: 58-2448208 CAGE CODE: 5LB46
- 26. NOTIFICATION REGARDING REGISTRATION IN CENTRAL CONTRACT REGISTRATION (CCR) DATABASE: **SPECIAL•T DIVISION OF GLOBAL RESOURCES IS REGISTERED**

TABLE BASES RETURN POLICY:

The return of any merchandise to the Special•T warehouse must be authorized prior to shipment. Please contact Customer Service at 888-705-0777 to obtain Return Merchandise Authorization (RMA). Our Customer Service hours are Monday – Friday 8 am to 5 pm EST. Upon approval of the return, send the prepaid shipment to 11810 Wills Road, Suite 120, Alpharetta, GA 30009-2081. If received in new condition, a 25% restocking fee will apply. We reserve the right to refuse any returned product.

TABLE TOP RETURN POLICY:

The return of any merchandise to the Special•T warehouse must be authorized prior to shipment. Please contact Customer Service at 888-705-0777 to obtain Return Merchandise Authorization (RMA). Our Customer Service hours are Monday – Friday 8 am to 5 pm EST. Upon approval of the return, send the prepaid shipment to 11810 Wills Road, Suite 120, Alpharetta, GA 30009-2081. If received in new condition, a 30% restocking fee will apply. We reserve the right to refuse any returned product.

CANCELLATION CHARGES: THERE WILL BE NO CANCELLATION CHARGES PRIOR TO PRODUCTION. AFTER PRODUCTION, ACTUAL COST INCURRED WILL BE ASSESSED IF PRODUCT CAN NOT BE SOLD AFTER A SIX (6) MONTH PERIOD.



General Services Administration Federal Supply Service Office Furniture FSC Group 71, Part 1 Contract Numbers: GS28F-0015W (711-11) GS-28F-0014W (71-308) Contract Period: January 1, 2010 through December 31, 2014 Classified: Woman Owned Small Business



Arches

- Training/task with 14 gauge steel single column legs
- · 2" inch diameter columns and arched foot
- Table tops are 1-1/4" thick 45# M3 high-density particle board core
- · High Pressure Laminate (HPL), back is covered with a recycled paper backer
- Standard edges are T-mold and 3mm PVC
- · Steel table support is included for tables over 66" long
- · Base Construction: Bolted/welded
- · Adjustable Levelers allow additional 1" upward height adjustment for uneven floors
- VOC compliant powder coat finish
- · Load capacity: 330 lbs (200kg) vertical load rating per base

Options

- Skate Casters
- T-Leg
- Bar Height
- Polished Chrome Finish Modesty Panel
- C-Leg

Folding Legs

- Power and Data
- Adjustable Height

Arcade

- Training/task table with 14 gauge steel arched dual column T-legs
- · 2" inch diameter columns and arched foot
- Table tops are 1-1/4" thick 45# M3 high-density particle • board core
- · High Pressure Laminate (HPL), back is covered with a recycled paper backer
- Standard edges are T-mold and 3mm PVC
- · Steel table support is included for tables over 66" long
- · Base Construction: Bolted/welded
- Adjustable Levelers allow additional 1" upward height adjustment for uneven floors
- VOC compliant powder coat finish
- · Load capacity: 330 lbs (200kg) vertical load rating per base

Options

- Skate Casters
- Folding Legs
- Bar Height
- Polished Chrome Finish
 Power and Data
- Perforated Panel

Modesty Panel

- Double Panel Wire Manager
 - Perforated Panel +

Model No.	Size	GSA Net Price
ARCD-2448-TL or CL	24" x 48"	\$256.20
ARCD-2460-TL or CL	24" x 60"	\$273.71
ARCD-2472-TL or CL	24" x 72"	\$317.69
ARCD-3048-TL or CL	30" x 48"	\$273.71
ARCD-3060-TL or CL	30" x 60"	\$302.74
ARCD-3072-TL or CL	30" x 72"	\$349.29

T-Legs

Model No.	Size	GSA Net Price
ARCH-2448-TL or CL	24" x 48"	\$236.56
ARCH-2460-TL or CL	24" x 60"	\$254.49
ARCH-2472-TL or CL	24" x 72"	\$298.05
ARCH-3048-TL or CL	30" x 48"	\$254.49
ARCH-3060-TL or CL	30" x 60"	\$283.53
ARCH-3072-TL or CL	30" x 72"	\$329.64

-C-Legs

T-Legs

Training and Task

T-Legs



Kingston

- Training/task table with 14 gauge steel single column legs
- Table tops are 1-1/4" thick 45# M3 high-density particle board core
- High Pressure Laminate (HPL), back is covered with a recycled paper backer
- Standard edges are T-mold and 3mm PVC
- Steel table support is included for tables over 66" long
- Base Construction: Bolted/welded
- Adjustable Levelers allow additional 1" upward height adjustment for uneven floors.
- VOC compliant powder coat finish
- Load capacity: 330 lbs (200kg) vertical load rating per base

Options

- Casters
- T-LegC-Leg
- Bar HeightModesty Panel
- Folding Legs
- Power and Data

Adjustable Height

-		-
	+C-Leg	s

Model No.	Size	GSA Net Price
KING-2448-TL or CL	24" x 48"	\$211.37
KING-2460-TL or CL	24" x 60"	\$228.45
KING-2472-TL or CL	24" x 72"	\$269.86
KING-3048-TL or CL	30" x 48"	\$228.45
KING-3060-TL or CL	30" x 66"	\$255.77
KING-3072-TL or CL	30" x 72"	\$299.75

Apollo

- Training/task rectangular table with 14 gauge steel dual column legs
- Table tops are 1-1/4" thick 45# M3 high-density particle board core
- High Pressure Laminate (HPL), back is covered with a recycled paper backer
- Standard edges are T-mold and 3mm PVC
- Steel table support is included for tables over 66" long
- Base Construction: Bolted/welded
- 2" diameter, 14 gauge steel C-legs with steel end caps
- Adjustable Levelers allow additional 1" upward height adjustment for uneven floors
- VOC compliant powder coat finish
- Load capacity: 330 lbs (200kg) vertical load rating per base

OptionsCasters

Perforated Panel

Modesty Panel

Double Panel Wire Manager

- T-Leg
- C-Leg
- Folding Legs
 Power and Data
- Bar Height

Model No.	Size	GSA Net Price
APOL-2448-TL or CL	24" x 48"	\$246.81
APOL-2460-TL or CL	24" x 60"	\$263.46
APOL-2472-TL or CL	24" x 72"	\$304.88
APOL-3048-TL or CL	30" x 48"	\$263.46
APOL-3060-TL or CL	30" x 60"	\$291.21
APOL-3072-TL or CL	30" x 72"	\$334.77

T-Legs

Perforated Panel

5-day quick-ship on all products with our 5 in-stock laminate and edge selections

C-Legs



EZ-Roll

- Training/task table with EZ-roll T-legs with 1.5" diameter plastic wheels built in
- · Built-in casters for easy mobility and reconfiguration
- Table tops are 1-1/4" thick 45# M3 high-density particle ٠ board core
- High Pressure Laminate (HPL), back is covered with a recycled paper backer
- Standard edges are T-mold and 3mm PVC.
- Steel table support is included for tables over 66" long
- · Base Construction: Bolted/welded 234
- Finish: VOC compliant powder coat
- Load capacity: 330 lbs (200kg) vertical load rating per base

Options

- Folding Legs
- Flip Top
- Modesty Panel
- Power and Data

Carina

- Training/task table with 14 gauge steel arched TU-legs
- Table tops are 1-1/4" thick 45# M3 high-density particle board core
- High Pressure Laminate (HPL), back is covered with a recycled paper backer
- Standard edges are T-mold and 3mm PVC
- · Steel table support is included for tables over 66" long
- Base Construction: Bolted/welded
- · Adjustable Levelers allow additional 1" upward height adjustment for uneven floors
- VOC compliant powder coat finish
- Load capacity: 330 lbs (200kg) vertical load rating per base

Options

- Perforated Panel
- Double Panel Wire Manager
- Modesty Panel
- Power and Data



Model No. **GSA Net Price** Size EZRL-2448 24" x 48" \$223.32 EZRL-2460 24" x 60" \$239.97 EZRL-2472 24" x 72" \$281.39 EZRL-3048 30" x 48" \$239.97 EZRL-3060 30" x 60" \$267.73 EZRL-3072 30" x 72" \$311.28

Arched TU-Legs

T-Legs

Model No.	Size	GSA Net Price
CARI-2448	24" x 48"	\$295.06
CARI-2460	24" x 60"	\$321.96
CARI-2472	24" x 72"	\$348.86
CARI-3048	30" x 48"	\$311.28
CARI-3060	30" x 60"	\$342.45
CARI-3072	30" x 72"	\$373.63

Arched **TU-Leqs**

Training and Task



Delta

- Training/task table with 14 gauge steel dual column Y-legs
- Table tops are 1-1/4" thick 45# M3 high-density particle board core
- High Pressure Laminate (HPL), back is covered with a recycled paper backer
- Standard edges are T-mold and 3mm PVC
- Steel table support is included for tables over 66" long
- Base Construction: Bolted/welded
- · VOC compliant powder coat finish
- · Load capacity: 330 lbs (200kg) vertical load rating per base

Options

- Skate Casters
- Modesty Panel
- Power and Data

Bell Glides

No	Sizo	GSA Not Brico
	Onato	
	Skate	Casters 🗕 😈

DELT-2448	24" x 48"	\$242.11
DELT-2460	24" x 60"	\$258.34
DELT-2472	24" x 72"	\$298.05
DELT-3048	30" x 48"	\$290.79
DELT-3060	30" x 60"	\$317.26
DELT-3072	30" x 72"	\$359.11

TU-Legs

Bridget Training/task table with 14 gauge steel double arched TU-legs Table tage are 1.1/4" thick 45# M2 bick densit

- Table tops are 1-1/4" thick 45# M3 high-density particle board core
- High Pressure Laminate (HPL), back is covered with a recycled paper backer
- Standard edges are T-mold and 3mm PVC
- Steel table support is included for tables over 66" long
- Base Construction: Bolted/welded
- Adjustable Levelers allow additional 1" upward height adjustment for uneven floors
- VOC compliant powder coat finish
- Load capacity: 330 lbs (200kg) vertical load rating per base

Options

- Perforated Panel
- Double Panel Wire Manager
- Modesty Panel
- Power and Data

GSA Net Price Model No. Size BRDG-2448 24" x 48" \$324.95 BRDG-2460 24" x 60" \$342.88 BRDG-2472 24" x 72" \$386.86 BRDG-3048 30" x 48" \$356.97 BRDG-3060 30" x 60" \$385.15 BRDG-3072 30" x 72" \$403.94

Perforated

Panel





Antonio

- Training/task table with 2" diameter 14 gauge Dual Column H-Legs
- Table tops are 1-1/4" thick 45# M3 high-density particle board core
- High Pressure Laminate (HPL), back is covered with a recycled paper backer
- Standard edges are T-mold and 3mm PVC
- · Steel table support is included for tables over 66" long
- VOC compliant powder coat finish
- · Load capacity: 330 lbs (200kg) vertical load rating per base

Options

- Casters
- Counter Height
- Bar Height
- Modesty Panel
- Power and Data

Dual Column H-Legs

Dual Column H-Legs with Casters

Model No.	Size	GSA Net Price	
ANTO-2448	24" x 48"	\$213.50	
ANTO-2460	24" x 60"	\$230.15	
ANTO-2472	24" x 72"	\$271.57	
ANTO-3048	30" x 48"	\$236.13	
ANTO-3060	30" x 60"	\$263.46	
ANTO-3072	30" x 72"	\$307.01	

Grace

- Training/task table with 14 gauge 1.5" diameter tubular steel curved U-legs.
- Table tops are 1-1/4" thick 45# M3 high-density particle board core
- High Pressure Laminate (HPL), back is covered with a recycled paper backer
- Standard edges are T-mold and 3mm PVC
- Steel table support is included for tables over 66" long
- Base Construction: Bolted/welded
- 2 3/8" diameter nylon glides
- · VOC compliant powder coat finish
- · Load capacity: 330 lbs (200kg) vertical load rating per base

Options

- Modesty Panel
- Power and Data

Curved U-Legs

Model No.	Size	GSA Net Price
GRCE-2448	24" x 48"	\$260.47
GRCE-2460	24" x 60"	\$278.40
GRCE-2472	24" x 72"	\$321.96
GRCE-3048	30" x 48"	\$284.38
GRCE-3060	30" x 60"	\$313.42
GRCE-3072	30" x 72"	\$359.53

Curved U-Legs

Training and Task



Ella

- Training/task table with 14 gauge steel single column post legs
- Table tops are 1-1/4" thick 45# M3 high-density particle board core
- High Pressure Laminate (HPL), back is covered with a recycled paper backer
- Standard edges are T-mold and 3mm PVC
- Steel table support is included for tables over 66" long
- · Base Construction: Bolted/welded
- Adjustable Levelers allow additional 1" upward height adjustment for uneven floors.
- VOC compliant powder coat finish
- Load capacity: 330 lbs (200kg) vertical load rating per base

Options

- 2" Diameter Legs
 - Casters • Folding Legs
- Bar Height
 - Modesty Panel

• 4" Diameter Legs

- 2-3/8" Diameter Legs Power and Data Casters
 - Folding Legs
- 3" Diameter Legs
- Bar Height

Robot		La Street		
 Training/task table with steel legs and oversize shape glides Table tops are 1-1/4" thick 45# M3 high-densit board core High Pressure Laminate (HPL), back is covered recycled paper backer Standard edges are T-mold and 3mm PVC Steel table support is included for tables over 66" long Base Construction: 14 gauge 2" diameter tubular steel with 45° angle support Adjustable levelers allow adjustment for uneven floors. VOC compliant powder coat finish 	ty particle d with a ←2" Diar	meter able Height		
 Load capacity: 330 lbs (200kg) 	1	Model	No. Size	GSA Net Price
weather hand wetter were been	2" Diameter	ROBT-	2448 24" x 48"	\$239.12
Options Legs	j	ROBT-	2460 24" x 60"	\$257.05
Adjustable Height		ROBT-	2472 24" x 72"	\$301.04
Skate Casters		ROBT-	3048 30" x 48"	\$257.05
Modesty Panel		ROBT-		\$286.09
Power and Data		ROBT-	3072 30" x 72"	\$332.21

Power and Data

No. of Street, or other

2 3/8" Diameter Legs

Model No.	Size	GSA Net Pric
ELLA-2448-2	24" x 48"	\$201.54
ELLA-2460-2	24" x 60"	\$219.48
ELLA-2472-2	24" x 72"	\$263.46
ELLA-3048-2	30" x 48"	\$219.48
ELLA-3060-2	30" x 60"	\$248.51
ELLA-3072-2	30" x 72"	\$294.63

←3" Diameter Legs



Quarto

- · Conference table with 14 gauge square steel post legs
- Table tops are 1-1/4" thick 45# M3 high-density particle board core
- High Pressure Laminate (HPL), back is covered with a recycled paper backer
- Standard edges are T-mold and 3mm PVC
- Steel table support is included for tables over 66" long
- · Adjustable levelers allow adjustment for uneven floors
- VOC compliant powder coat finish
- Load capacity: 330 lbs (200kg) vertical load rating per base

Options

- Polished Chrome Finish
- Modesty Panel
- Power and Data

2 3/8" Diameter Post Legs 2 3/8" Diameter Post Legs

Model No.	Size	GSA Net Price
QUAT-2448	24" x 48"	\$239.12
QUAT-2460	24" x 60"	\$257.05
QUAT-2472	24" x 72"	\$301.04
QUAT-3048	30" x 48"	\$257.05
QUAT-3060	30" x 60"	\$286.09
QUAT-3072	30" x 72"	\$332.21

Portofino

- Conference table with heavy duty cast iron legs
- Table tops are 1-1/4" thick 45# M3 high-density particle board core
- High Pressure Laminate (HPL), back is covered with a recycled paper backer
- Standard edges are T-mold and 3mm PVC
- Steel table support is included for tables over 66" long
- · Adjustable levelers allow adjustment for uneven floors
- VOC compliant powder coat finish
- Load capacity: 330 lbs (200kg) vertical load rating per base

Options

- Modesty Panel
- Power and Data

Model No.	Size	GSA Net Price
PORT-2448	24" x 48"	\$169.09
PORT-2460	24" x 60"	\$187.45
PORT-2472	24" x 72"	\$231.01
PORT-3048	30" x 48"	\$187.45
PORT-3060	30" x 60"	\$216.06
PORT-3072	30" x 72"	\$262.61



Training and Task



Kristina

- Training/task table with 3" diameter 304 grade stainless steel post legs
- Table tops are 1-1/4" thick 45# M3 high-density particle board core
- High Pressure Laminate (HPL), back is covered with a recycled paper backer
- Standard edges are T-mold and 3mm PVC
- Steel table support is included for tables over 66" long
- Adjustable Levelers allow additional 1/2" adjustment for uneven floors.
- · VOC compliant powder coat finish
- Load capacity: 330 lbs (200kg) vertical load rating per base

Options

- Modesty Panel
- Power and Data

djustment	
←3" Stainless	
Steel Legs	1

Model No.	Size	GSA Net Price
KRST-2448	24" x 48"	\$395.83
KRST-2460	24" x 60"	\$413.76
KRST-2472	24" x 72"	\$457.32
KRST-3048	30" x 48"	\$413.76
KRST-3060	30" x 60"	\$442.80
KRST-3072	30" x 72"	\$488.92

3" Stainless ->

Steel Legs





Convertible

- Flip/nest table with convertible base[™] allows straight-on nesting in the flipped position
- One point Flip Top Mechanism allows for easy operation
- Heavy tubular steel support beam prevents sagging
- · Locking skate casters for easy mobility
- Table tops are 1-1/4" thick 45# M3 high-density particle board core
- High Pressure Laminate (HPL), back is covered with a recycled paper backer
- Standard edges are T-mold and 3mm PVC
- Base Construction: Bolted/welded
- VOC compliant powder coat finish
- Load capacity: 330 lbs (200kg) vertical load rating per base


Options

- Modesty Panel
- Power and Data

Transform

- Flip/nest table with 14 gauge steel 1.5" diameter tubular legs
- One point Flip Top Mechanism allows for easy operation
- · Heavy tubular steel support beam prevents sagging
- Built-in perforated steel modesty panel extends 14" below table top.
- · Locking skate casters for easy mobility
- Table tops are 1-1/4" thick 45# M3 high-density particle board core
- High Pressure Laminate (HPL), back is covered with a recycled paper backer
- Standard edges are T-mold and 3mm PVC
- · VOC compliant powder coat finish
- Load capacity: 330 lbs (200kg) vertical load rating per base

Model No.	Size	GSA Net Price
TRNF-2448	24" x 48"	\$223.32
TRNF-2460	24" x 60"	\$253.64
TRNF-2472	24" x 72"	\$295.91



Nesting

← Skate Casters

Model No.	Size	GSA Net Price
CONV-2448	24" x 48"	\$380.03
CONV-2448-INT	24" x 48"	\$450.49
CONV-2460	24" x 60"	\$406.50
CONV-2460-INT	24" x 60"	\$483.79
CONV-2472	24" x 72"	\$438.10
CONV-2472-INT	24" x 72"	\$522.65
CONV-3048	30" x 48"	\$406.50
CONV-3048-INT	30" x 48"	\$476.96
CONV-3060	30" x 60"	\$444.93
CONV-3060-INT	30" x 60"	\$522.22
CONV-3072	30" x 72"	\$479.52
CONV-3072-INT	30" x 72"	\$564.07

Flip and Nest



SlimFlip

- Flip/nest table with 14 gauge steel single column T-legs
- One point Flip Top Mechanism allows for easy operation
- Heavy tubular steel support beam prevents sagging
- Table tops are 1-1/4" thick 45# M3 high-density particle board core
- High Pressure Laminate (HPL), back is covered with a recycled paper backer
- Standard edges are T-mold and 3mm PVC
- VOC compliant powder coat finish
- Load capacity: 330 lbs (200kg) vertical load rating per base

Options

- Modesty Panel
- Power and Data

,			
	Model No.	Size	GSA Net Pric
	SLIM-2448	24" x 48"	\$344.16
	SLIM-2448-INT	24" x 48"	\$414.62
	SLIM-2460	24" x 60"	\$367.65
	SLIM-2460-INT	24" x 60"	\$445.36
	SLIM-2472	24" x 72"	\$396.68
	SLIM-2472-INT	24" x 72"	\$481.23
	SLIM-3048	30" x 48"	\$361.67
	SLIM-3048-INT	30" x 48"	\$432.12
	SLIM-3060	30" x 60"	\$396.68
	SLIM-3060-INT	30" x 60"	\$474.40
	SLIM-3072	30" x 72"	\$428.28
	SLIM-3072-INT	30" x 72"	\$512.83



SlimFlip-C

- Flip/nest table with 14 gauge steel single column C-legs
- One point Flip Top Mechanism allows for easy operation
- Heavy tubular steel support beam prevents sagging
- Table tops are 1-1/4" thick 45# M3 high-density particle board core
- High Pressure Laminate (HPL), back is covered with a recycled paper backer
- Standard edges are T-mold and 3mm PVC
- VOC compliant powder coat finish
- Load capacity: 330 lbs (200kg) vertical load rating per base

Options

Power and Data

Model No.	Size	GSA Net Price
SLIM-C-2448	24" x 48"	\$406.08
SLIM-C-2460	24" x 60"	\$442.37
SLIM-C-2472	24" x 72"	\$488.49
SLIM-C-3048	30" x 48"	\$423.58
SLIM-C-3060	30" x 60"	\$471.41
SLIM-C-3072	30" x 72"	\$520.09

 Single Point Release Mechanism Modesty

Panel



Bistro

- Breakroom/hospitality table with 304 grade stainless steel round base
- 1.5mm thick; 304 grade stainless steel column
- Table tops are 1-1/4" thick 45# M3 high-density particle board core
- High Pressure Laminate (HPL), back is covered with a recycled paper backer
- Standard edges are T-mold and 3mm PVC
- · Adjustable levelers allow adjustment for uneven floors
- VOC compliant powder coat finish
- Load capacity: 330 lbs (200kg) vertical load rating per base

Options

• Bar Height

Model No.	Size	GSA Net Price
BSTR-24	24"	\$247.23
BSTR-30	30"	\$269.86
BSTR-36	36"	\$347.58
BSTR-42	42"	\$386.01
BSTR-48	48"	\$585.42
BSTR-54	54"	\$625.98



Mount

- · Breakroom/hospitality table with stainless steel bolt down leg
- Table tops are 1-1/4" thick 45# M3 high-density particle board core
- High Pressure Laminate (HPL), back is covered with a recycled paper backer
- Standard edges are T-mold and 3mm PVC.
- Base Construction: Heavy duty stainless steel bolt down leg
- Base bolts to the floor with an 8" diameter cover plate and has a 3" column diameter
- VOC compliant powder coat finish
- · Load capacity: 330 lbs (200kg) vertical load rating per base

Options

- Bar Height
- Foot Ring

Model No.	Size	GSA Net Price
MONT-24	24"	\$186.60
MONT-2424	24" x 24"	\$179.34
MONT-30	30"	\$209.66
MONT-3030	30" x 30"	\$200.69
MONT-36	36"	\$236.99
MONT-3636	36" x 36"	\$225.03



Break Room and Hospitality



Tempo

- Breakroom/hospitality table with 304 grade brushed stainless steel column with square base
- Table tops are 1-1/4" thick 45# M3 high-density particle board core
- High Pressure Laminate (HPL), back is covered with a recycled paper backer
- Standard edges are T-mold and 3mm PVC
- · Adjustable levelers allow adjustment for uneven floors
- VOC compliant powder coat finish
- · Load capacity: 330 lbs (200kg) vertical load rating per base

Options

- Bar Height
- Foot Ring

Model No.	Size	GSA Net Price
TMPO-3030	30" x 30"	\$260.90
TMPO-3636	36" x 36"	\$335.62
TMPO-4242	42" x 42"	\$370.64



Trion

- Breakroom/hospitality 24" round table, 14 gauge tubular steel tripod base.
- Table tops are 1-1/4" thick 45# M3 high-density particle board core
- High Pressure Laminate (HPL), back is covered with a recycled paper backer
- Standard edges are T-mold and 3mm PVC
- · Adjustable levelers allow adjustment for uneven floors
- VOC compliant powder coat finish
- Load capacity: 330 lbs (200kg) vertical load rating per base

Options

• Flip Top



Model No.	Size	GSA Net Price
TRIN-30	30"	\$227.16
TRIN-3030	30" x 30"	\$218.20
TRIN-36	36"	\$263.46
TRIN-3636	36" x 36"	\$251.08

Dual Column

Tripod Legs



ClassiX

- · Breakroom/hospitality with 14 gauge single column X-base
- Table tops are 1-1/4" thick 45# M3 high-density particle board core
- High Pressure Laminate (HPL), back is covered with a recycled paper backer
- Standard edges are T-mold and 3mm PVC
- · Base Construction: Bolted/welded
- Adjustable Levelers allow additional 1" upward height adjustment for uneven floors.
- VOC compliant powder coat finish
- Load capacity: 330 lbs (200kg) vertical load rating per base

Options

- Bar Height
- Casters
- Self Leveling Glides
- Flip Top

Single Column X-Base

Model No.	Size	GSA Net Price
CLXS-30	30"	\$186.17
CLXS-3030	30" x 30"	\$177.21
CLXS-36	36"	\$215.21
CLXS-3636	36" x 36"	\$202.83
CLXS-42	42"	\$254.49
CLXS-4242	42" x 42"	\$239.12

Arched Single

Column X-Base

Single Column

X-Base

Fusion

- Breakroom/hospitality table, with 14 gauge arched single column x-base
- Table tops are 1-1/4" thick 45# M3 high-density particle board core
- · High Pressure Laminate (HPL), back is covered with a recycled paper backer
- Standard edges are T-mold and 3mm PVC
- · Base Construction: Bolted/welded
- 3" diameter column and 2" diameter arched feet
- Adjustable Levelers allow additional 1" upward height adjustment for uneven floors
- VOC compliant powder coat finish
- Load capacity: 330 lbs (200kg) vertical load rating per base

Options

- Polished Chrome Finish
- Bar Height
- Skate Casters
- Flip Top
- Self Leveling Glides





Break Room and Hospitality



Success

- Breakroom/hospitality table with 14 gauge tubular steel triangular base
- Table tops are 1-1/4" thick 45# M3 high-density particle board core
- High Pressure Laminate (HPL), back is covered with a recycled paper backer
- Standard edges are T-mold and 3mm PVC
- Beveled steel floor plate
- VOC compliant powder coat finish
- Load capacity: 330 lbs (200kg) vertical load rating per base

Options

- Bar Height
- Self Leveling Glides

Model No.	Size	GSA Net Price
SCSS-30	30"	\$281.39
SCSS-3030	30" x 30"	\$272.43
SCSS-36	36"	\$330.93
SCSS-3636	36" x 36"	\$318.54
SCSS-42	42"	\$396.68
SCSS-4242	42" x 42"	\$381.31

Triangular
 Base

Reveal

- Breakroom/hospitality table designed with a "floating top" look
- Table tops are 1-1/4" thick 45# M3 high-density particle board core
- High Pressure Laminate (HPL), back is covered with a recycled paper backer
- Standard edges are T-mold and 3mm PVC
- Base Construction: 14 gauge 2" diameter tubular steel with 45° angle support
- Adjustable levelers allow adjustment for uneven floors.
- VOC compliant powder coat finish
- Load capacity: 330 lbs (200kg) vertical load rating per base



Model No.	Size	GSA Net Price
REVL-24	24"	\$232.72
REVL-2424	24" x 24"	\$223.32
REVL-30	30"	\$256.20
REVL-3030	30" x 30"	\$246.81
REVL-36	36"	\$281.82
REVL-3636	36" x 36"	\$270.29



Disco

- · Breakroom/hospitality table with heavy duty steel round base
- 14 gauge tubular steel column and a heavy duty cast iron floor plate
- Table tops are 1-1/4" thick 45# M3 high-density particle board core
- High Pressure Laminate (HPL), back is covered with a recycled paper backer
- Standard edges are T-mold and 3mm PVC
- Base Construction: Bolted/welded
- Adjustable Levelers allow additional 1" upward height adjustment for uneven floors
- VOC compliant powder coat finish
- Load capacity: 330 lbs (200kg) vertical load rating per base

Options

- Bar Height
- Foot Ring
- Self Leveling Glides

Foot Ring

Model No.	Size	GSA Net Price
DISC-30	30"	\$207.52
DISC-3030	30" x 30"	\$198.56
DISC-36	36"	\$285.24
DISC-3636	36" x 36"	\$272.85
DISC-42	42"	\$363.38
DISC-4242	42" x 42"	\$348.01

Heavy Duty

Steel Base

Cantina

- Breakroom/hospitality with heavy duty cast iron round base
- Table tops are 1-1/4" thick 45# M3 high-density particle board core
- High Pressure Laminate (HPL), back is covered with a recycled paper backer
- Standard edges are T-mold and 3mm PVC
- Base Construction: Bolted/welded
- Adjustable Levelers allow additional 1" upward height adjustment for uneven floors.
- VOC compliant powder coat finish
- · Load capacity: 330 lbs (200kg) vertical load rating per base

Options

- Bar Height
- Foot Ring
- Self Leveling Glides

Model No.	Size	GSA Net Price
CTNA-30	30"	\$160.98
CTNA-3030	30" x 30"	\$152.01
CTNA-36	36"	\$210.94
CTNA-3636	36" x 36"	\$198.98
CTNA-42	42"	\$276.27
CTNA-4242	42" x 42"	\$260.90



Break Room and Hospitality



StarX

- Breakroom/hospitality 24" round table, heavy duty cast iron X-Base
- Table tops are 1-1/4" thick 45# M3 high-density particle board core
- High Pressure Laminate (HPL), back is covered with a recycled paper backer
- Standard edges are T-mold and 3mm PVC
- · Adjustable levelers allow adjustment for uneven floors
- VOC compliant powder coat finish
- Load capacity: 330 lbs (200kg) vertical load rating per base

Options

- Bar Height
- Foot Ring
- Self Leveling Glides

Model No.	Size	GSA Net Price
STRX-30	30"	\$152.01
STRX-3030	30" x 30"	\$143.05
STRX-3048	30" x 48"	\$176.35
STRX-36	36"	\$188.31
STRX-3636	36" x 36"	\$176.35
STRX-42	42"	\$227.59
STRX-4242	42" x 42"	\$212.22

Bedford

- Breakroom/hospitality table with 14 gauge steel quadruple column X-Base
- Table tops are 1-1/4" thick 45# M3 high-density particle board core
- High Pressure Laminate (HPL), back is covered with a recycled paper backer
- Standard edges are T-mold and 3mm PVC
- Base Construction: Bolted/welded
- Adjustable Levelers allow additional 1" upward height adjustment for uneven floors
- VOC compliant powder coat finish
- Load capacity: 330 lbs (200kg) vertical load rating per base

Options

- Polished Chrome Finish
- Bar Height
- Casters
- Self Leveling Glides

Model No.	Size	GSA Net Price
BDFD-42	42"	\$328.79
BDFD-4242	42" x 42"	\$314.70
BDFD-48	48"	\$366.37
BDFD-4848	48" x 48"	\$352.28
BDFD-54	54"	\$403.94
BDFD-5454	54" x 54"	\$389.95
BDFD-60	60"	\$441.52
BDFD-6060	60" x 60"	\$427.43

Cast Iron X-Base

Column X-Base

Quadruple



Oscar

- Conference table with 14 gauge arched dual column T-legs
- 2" diameter columns and arched foot
- Table tops are 1-1/4" thick 45# M3 high-density particle board core
- High Pressure Laminate (HPL), back is covered with a recycled paper backer
- Standard edges are T-mold and 3mm PVC.
- Steel table support is included for tables over 66" long
- · Adjustable levelers allow adjustment for uneven floors
- VOC compliant powder coat finish
- Load capacity: 330 lbs (200kg) vertical load rating per base

Options

- Boat, Oval, Racetrack or Rectangular
- Polished Chrome Finish
- Power and Data

Model No.	Size	GSA Net Price
OSCR-4896-BO	48" x 96"	\$739.14
OSCR-4896-OV	48" x 96"	\$801.05
OSCR-4896-RC	48" x 96"	\$718.21
OSCR-4896-RT	48" x 96"	\$594.38

Arched Dual

Column T-Leg

Olympus

- Conference table with 14 gauge steel dual column legs
- Table tops are 1-1/4" thick 45# M3 high-density particle board core
- High Pressure Laminate (HPL), back is covered with a recycled paper backer
- Standard edges are T-mold and 3mm PVC
- Steel table support is included for tables over 66" long
- · Adjustable levelers allow adjustment for uneven floors
- VOC compliant powder coat finish
- · Load capacity: 330 lbs (200kg) vertical load rating per base

Options

- Boat, Oval, Racetrack or Rectangular
- Power and Data

M
0
0
0
0

Model No.	Size	GSA Net Price
OLYM-4896-BO	48" x 96"	\$757.07
OLYM-4896-OV	48" x 96"	\$818.13
OLYM-4896-RC	48" x 96"	\$735.72
OLYM-4896-RT	48" x 96"	\$611.89

Dual Column T-Leg

A Boat Shape Top



Arched TU Legs

Jaguar

- Conference table with 14 gauge arched TU-legs
- Table tops are 1-1/4" thick 45# M3 high-density particle board core
- High Pressure Laminate (HPL), back is covered with a recycled paper backer
- Standard edges are T-mold and 3mm PVC
- Steel table support is included for tables over 66" long
- Base Construction: Bolted/welded
- Adjustable Levelers allow additional 1" upward height adjustment for uneven floors
- · VOC compliant powder coat finish
- · Load capacity: 330 lbs (200kg) vertical load rating per base

Options

- Boat, Oval, Racetrack or Rectangular
- Power and Data

Model No.	Size	GSA Net Price
JAGR-4896-BT	48" x 96"	\$806.60
JAGR-4896-OV	48" x 96"	\$868.09
JAGR-4896-RC	48" x 96"	\$785.25
JAGR-4896-RT	48" x 96"	\$661.42

Legacy

- Conference table with perforated steel drum base
- Table tops are 1-1/4" thick 45# M3 high-density particle board core
- High Pressure Laminate (HPL), back is covered with a recycled paper backer
- Standard edges are T-mold and 3mm PVC
- Steel table support is included for tables over 66" long
- Base Construction: Drum Base with welded mounting tabs and threaded steel inserts for levelers
- · VOC compliant powder coat finish
- Load capacity: 330 lbs (200kg) vertical load rating per base

Options

- Boat, Oval, Racetrack or Rectangular
- Laminate Insert
- Power and Data

Model No.	Size	GSA Net Price
LGCY-4896-BT	48" x 96"	\$ 995.34
LGCY-4896-OV	48" x 96"	\$1,056.40
LGCY-4896-RC	48" x 96"	\$ 973.00
LGCY-4896-RT	48" x 96"	\$ 850.16







Atlantis

- Conference table with 14 gauge tubular steel triangular base with welded cross members
- Table tops are 1-1/4" thick 45# M3 high-density particle board core
- High Pressure Laminate (HPL), back is covered with a recycled paper backer
- Standard edges are T-mold and 3mm PVC
- Steel table support is included for tables over 66" long
- Welded base construction
- Beveled steel floor plates
- Adjustable Levelers allow additional 1" upward height adjustment for uneven floors
- VOC compliant powder coat finish
- Load capacity: 330 lbs (200kg) vertical load rating per base

Options

• Boat, Oval, Racetrack or Rectangular

Size	GSA Net Price
48" x 96"	\$1,036.76
48" x 96"	\$1,097.82
48" x 96"	\$1,014.98
48" x 96"	\$ 891.58
	48" x 96" 48" x 96" 48" x 96"



A Boat Shape

Тор

Racetrack Top

43" Column H-Leg

Benton

- Conference table with 14 gauge steel dual column H-Legs
- Table tops are 1-1/4" thick 45# M3 high-density particle board core
- High Pressure Laminate (HPL), back is covered with a recycled paper backer
- Standard edges are T-mold and 3mm PVC
- Steel table support is included for tables over 66" long
- Base Construction: Bolted/welded
- Adjustable Levelers allow additional 1" upward height adjustment for uneven floors
- VOC compliant powder coat finish
- Load capacity: 330 lbs (200kg) vertical load rating per base

Options

- Boat, Oval, Racetrack or Rectangular
- Power and Data

2" Column H-Leg

Model No.	Size	GSA Net Price
BNTN-4896-BT	48" x 96"	\$744.69
BNTN-4896-OV	48" x 96"	\$806.18
BNTN-4896-RC	48" x 96"	\$723.34
BNTN-4896-RT	48" x 96"	\$599.51

5-day quick-ship on all products with our 5 in-stock laminate and edge selections



Connect

- Conference table with multi-column x-base (11 gauge steel columns and 14 gauge feet)
- Table tops are 1-1/4" thick 45# M3 high-density particle board core
- High Pressure Laminate (HPL), back is covered with a recycled paper backer
- Standard edges are T-mold and 3mm PVC.
- Steel table support is included for tables over 66" long
- Base Construction: Bolted/welded
- Adjustable Levelers allow additional 1" upward height adjustment for uneven floors.
- VOC compliant powder coat finish
- · Load capacity: 330 lbs (200kg) vertical load rating per base

Options

- Boat, Oval, Racetrack or Rectangular
- Power and Data



Model No.	Size	GSA Net Price
CNCT-4896-BT	48" x 96"	\$837.35
CNCT-4896-OV	48" x 96"	\$898.84
CNCT-4896-RC	48" x 96"	\$816.42
CNCT-4896-RT	48" x 96"	\$692.17

Venice

- Conference table with 304 grade stainless steel round base
- 3" diameter column; 1.5mm thick; 304 grade stainless steel
- Table tops are 1-1/4" thick 45# M3 high-density particle board core
- High Pressure Laminate (HPL), back is covered with a recycled paper backer
- Standard edges are T-mold and 3mm PVC
- Steel table support is included for tables over 66" long
- · Adjustable levelers allow adjustment for uneven floors
- · VOC compliant powder coat finish
- Load capacity: 330 lbs (200kg) vertical load rating per base

Options

- Boat, Oval, Racetrack or Rectangular
- Round or Square Stainless Steel Table Bases
- Power and Data



Model No.	Size	GSA Net Price
VNCE-4896-BT	48" x 96"	\$1,089.28
VNCE-4896-OV	48" x 96"	\$ 837.77
VNCE-4896-RC	48" x 96"	\$1,067.93
VNCE-4896-RT	48" x 96"	\$ 930.86



Standard Table Features

Special•**T** tables are manufactured from the highest quality products possible meeting or exceeding ANCI/BIFMA standards.

Table tops feature 1-1/8" thick 45 lb. density particle board core, high pressure laminate, durable vinyl, wood or urethane edges, and .038 paper backer sheet on less than 48" tables (.038 phenolic backer equal or grater than 48"). The finished top thickness is 1-1/4".

High quality high pressure Standard Wilsonart **laminate** is applied to all our tops. Premium laminates are available for an additional charge.

A wide selection of **table edges** and **edge colors** is available. The edges include durable vinyl, wood and urethane edges.

Most tops **are pre-drilled** for easy installation. To prevent tops from sagging, all tables 66" or longer that are sold without a continuous beam base include a **steel table support**.

The **table legs** are fabricated from high quality tubular steel, stainless steel or cast iron. All tubular steel bases are available in fifteen powder coat finishes at standard price. Some bases are also available in polished chrome finish. Leveling glides are standard for most tables. Table legs ship knocked down and are easy to assemble.

The standard table height is 29".

Standard **lead time** is three weeks from the time the order is processed. Orders placed through the **5 Day Quick Ship** program ship in 5 business day after acknowledged date.

Special•**T** takes your concerns about the environment seriously and has developed a **GREEN line of tables** made with recyclable and environmentally friendly materials. For more information on **GREEN** tables, please contact **Special**•**T** at 888.705.0777.

All tables have a **limited warranty** for a period of ten years and are guaranteed to be free of defects due to workmanship.





Folding and Flip Top Options



A folding option is available for some tables. It allows legs to lay flat against the table top. Skillfully engineered folding mechanism operates by pushing the lever at both open and closed positions. Available with: **Arches, Arcade, Kingston and Apollo.**



A flip top option features the Quick-Flip mechanism allowing a table top to flip into a vertical position by pulling on the release handle. Tops locks automatically when returned to the horizontal position. Available with: **Kingston, ClassiX, Fusion** and Trion.



Skate Caster is an upscale 3" inline locking caster. Available with: Arches, Arcade, Kingston, Apollo, Delta, Robot, Fusion and Bedford.

Other Options



Dual Wheel Caster is a 2" hooded locking caster. Available with: Kingston, Apollo, Ella, ClassiX and Bedford.



Self Leveling Glide automatically stabilize tables on uneven floors. It is easy to install and requires no adjustment. Available with: ClassiX, Fusion, Success, Disco, Cantina, StarX and Bedford.

Perforated Panel adds a sophisticated design look. Available with: Arcade, Apollo, Carina and Bridget.

Laminate Insert offers a unique design detail and is optional for the Legacy table. It features a piece of any Standard Wilsonart laminate inserted inside and around the drum bases.



Adjustable Height tables adjust in 1" increments by depressing a spring clip pin. The pin snaps back into a locking position when realigned with the outer column holes. Thumb screw locks table legs in position. Available with: Arches, Arcade, Kingston, Apollo and Robot.



Modesty Panels

Three types of modesty panels are available for our training room tables. All panels are 10" high and 1/4" shorter than the table top.



Perforated Steel Modesty Panel permanently mounts directly to the top. It features 19 gauge steel with perforated front. Perforation pattern is 3/16" diameter round holes spaced 1-3/4" apart. Depending on the size, each panel has two or three cable cutouts located on the top of the panel. They allow wires to pass into the oversized wire channel that runs through the bottom of the modesty panel.



Laminate Modesty Panel features a laminated 3/4" thick panel that permanently mounts to the top with corner brackets. Choose from a large selection of laminate colors to complement your design.



Folding Laminate Modesty Panel is ideal for folding table applications.

The panel is constructed from 3/4" thick particle board and high pressure laminate. It is easily folded by pressing on the folding mechanism latch to make positive locking connection at both the open and closed positions.

Table Connectors



EZ Connect Table Connector allows for a positive connection by turning the revolving cam lever. The unit is 3-1/2" diameter and only 3/8" thick.




Quick Release Table Connector is a 12" x 4" steel plate with 4 knobs screwed into a top. It operates by tightening knobs once a plate is moved under the tables to be connected



Grommets


3" Diameter Round Grommet

> 2" x 4" Rectangular Grommet





Wire Management



Double Panel Wire Manager features two perforated steel panels with an opening in the middle for wire management. Available with Arcade, Apollo, Carina and Bridget tables.



Table Leg Wire Manager is a half-moonshaped channel with adhesive tape toattach to a table leg.



Large J-Shape Wire Manager is designed to fasten with adhesive tape under a table to keep cables up and out of the way. Ideal for laminate modesty panels.

Power and Data

GLENBEIGH features two openings with power or data for either one. It is constructed of durable die-cast zinc and available in 8 colors that complement a wide range of decor. Select from plug or hard wire connection options.

MHO offers flexible desktop power and data solutions for executive and institutional work station applications. Retractable and durably constructed, the modular high output convenience outlets are highly functional with a fluid, one touch door that remains open during use. MHO features four openings for power and data ports. Select from plug or hard wire power options.


MINIPORT features fluid one touch action door with two power and two data openings. Made out of high density plastic and available as a single unit with standard 6" cord or as INTERLINK option allowing linking up to 8 modules on multiple tables.

SPHERE made out of high density plastic. It provides two simplexes to accept standard power cords or AC adapters and provides two ports for the installation of voice/data.

INTERLINK allows user to link up to 8 tables together with a single electrical connection. It is available with Glenbeigh and MHO modules and has either plug or hardwire power options. For more power and data options, call Customer Service at call Customer Service at 888-705-0777.









5 Day Quick Ship Program

Special•T offers 5 Day Quick Ship program for any rectangular or square table to ship in 5 business days after acknowledged date. Choose from five laminates and edge colors used in any combination. All edges are square corner 3mm PVC edge (-P3). Choose any base color.



3mm Vinyl (-P3)

5 Day Quick Ship Laminates



Wild Cherry



Kensington Maple



White Nebula

Fashion Grey

5 Day Quick Ship Laminates

Graphite Nebula





Laminate Colors

Select from the colors above or any Standard Wilsonart Laminate.



Pewter Brush

Shale Moonstone

Verdi Oxide



Basic Vinyl Edge Types



3mm Vinyl (-P3)



Flat T-Mold (-T3)



Round T-Mold (-T4)

Vinyl Edge Colors

-P3, -T3 and -T4 Edges



5-day quick-ship on all products with our 5 in-stock laminate and edge selections



Metal Finishes



Black





11810 Wills Road, Suite 120 • Alpharetta, Georgia 30009 678-879-0777 • Fax 678-456-6046 www.specialt.net