



# SAFE<sup>T</sup> SCREENS AND BARRIERS FOR LEARNING ENVIRONMENTS

KEEP STUDENTS AND EDUCATORS SAFE.  
REDUCE THE RISK OF INFECTION WITH SAFE-T SCREENS.

All panel options feature naturally anti-microbial materials that can be easily and repeatedly disinfected without damaging the screens.


## ■ CLEAR PLEXIGLASS




Side & Front Panels



X-Shape



Transaction Screen with Metal Supports



Floor Standing Mobile Divider



Executive Folding



## ■ FROSTED ACRYLIC



Side & Front Panels


## ■ PET



Side & Front Panels



Privacy & Modesty Screens



Sliding Desk Divider

## AUDITORIUMS

Protect students sitting in close proximity by adding dividers around them.

LOW-FLAMMABLE POLYCARBONATE MATERIAL IS AVAILABLE UPON REQUEST

Call Customer Service for a quote 678-879-0777 or email [CustomerService@specialt.net](mailto:CustomerService@specialt.net)



## DINING & COMMON AREAS




Create separation barriers on table tops and work surfaces with x-shape dividers.

## CLASSROOMS



Help students and teachers feel safe. Provide maximum protection by surrounding student and teacher desks with Clear Plexiglass screens. Screens can be attached with double-sided tape, removable C-clamp, or permanently attached to the surface with screws.

# CLASSROOMS



# CLASSROOMS





## LIBRARY AND STUDY AREAS

Separate individual study areas in an open-plan library setting with PET sliding dividers. The divider slots into place and grips the worksurface creating a wellness barrier, privacy, protection, and sound reduction.



## EXECUTIVE FOLDING

Help protect your administrators, teachers, and guests from viruses while engaging in face-to-face interactions. Clear plexiglass allows for crystal clear visibility without impeding effective communication. The screen can be easily placed on any flat surface, moved around, or folded when not in use.



## FLOOR STANDING

Prevent viruses and bacteria from spreading in open space areas with clear room dividers. Separate various spaces to help people feel safer and more protected. The 75" high floor-standing dividers are 34" or 43" wide. They are equipped with locking casters and can be easily moved between different areas.



## TRANSACTION SCREEN

A free-standing transaction screen is suitable for a myriad of solutions, from the reception desk to meeting areas, and can be easily added to any flat surface. The upright metal brackets support 36" x 40" plexiglass and provide a sleek and simplistic design with maximum stability. 6" x 18" pass-through window allows papers and small items to pass from person to person.

## FRONT AND SIDE PANELS SPECIFICATIONS

- Front Panels: 48"L, 60"L or 72"L
- Side Panels: 22"L or 28"L
- Height: 14"H or 24"H
- Custom Sizes
- Compatible with 1" – 1.25" tops

## ATTACHMENT OPTIONS

### STANDARD CLAMP



Securely attach screens to a work surface with screws to avoid movement and repositioning.

### TMB G2



Add wellness screens to existing furniture without causing permanent damage. Screens with TMB G2 brackets can be easily moved and reconfigured by users in self-directed spaces to insure autonomy and protection. Add heavy-duty double-sided tape to temporarily affix to a flat surface.

### C-CLAMP



Easily removable C-Clamp attaches with an adjustable hand-screw under the table and keeps the screens secure around table edges. Compatible with 1" - 1.25" thick work surfaces.

### UNIVERSAL U-BRACKET



Extend the height of any cubicle panel with an expandable universal U-Bracket.

Small size fits  
1.875" – 2.75" wide panels

Large size fits  
2.75" – 4.75" wide panels

### FREE STANDING FOOT



With a free-standing foot, the screen can be easily moved anywhere in the workplace. Add heavy-duty double-sided tape to temporarily attach the screen to a flat surface.

Attach screens to a metal surface with optional earth magnets inset into the foot for a level connection.

## TOP ALIGNMENT BRACKETS

Top Alignment Brackets maintain alignment and add stability to Clear Plexiglass and Frosted Acrylic screens.



180° CONNECTOR



90° CONNECTOR



T-CONNECTOR



X-CONNECTOR

## COLORS

### CLEAR PLEXIGLASS OR POLYCARBONATE



Clear

### FROSTED ACRYLIC



Frosted

## PET

### STOCK COLOR



Gray

### OPTIONAL COLORS\*



Cream



Periwinkle



Silver



Yellow



Orange



Blush



Lime



Blue



Cocoa



Navy



Ash



Black

\*Extended lead time and additional charges apply. Call Customer Service for pricing 888-705-0777.

## CLEANING & CARE

### CLEAR PLEXIGLASS, POLYCARBONATE, ACRYLIC, AND FROSTED ACRYLIC

Clear Plexiglass, Acrylic, and Frosted Acrylic are durable materials that require minimal maintenance. Regular care should consist of normal wipe-cleaning with a soft rag or towel. Pay special attention to avoid scratching the surface.

#### CAUTION

Using window cleaner, ammonia products, bleach, or other chemical sprays on Acrylic, Plexiglas or Lucite can cause scratches or damages. If there is any adhesive or sticky substance on the surface, DO NOT use any solvents.

Clean with a nonabrasive acrylic cleaner, such as Brilliance or Novus No. 1. It leaves a lustrous shine that resists fogging, repels dust, and eliminates static. Novus also offers a Fine Scratch Remover (Novus #2) that removes fine scratches, haziness, and abrasions from most plastics. For heavy scratches, use the Heavy Scratch Remover (Novus #3) which removes heavy scratches and abrasions from most acrylic surfaces. For an on-hand alternative, a solution of mild dish soap and water works well too.

### PET SCREENS

PET can be safely cleaned with most non-abrasive cleaners, like:

- Disinfecting wipes
- Disinfecting sprays
- Mild soap
- Bleach solution: 1/3 cup of bleach per 1 gallon of water

Follow the bleach manufacturer's instructions for application and proper ventilation. Never mix household bleach with ammonia or any other cleanser.

Follow manufacturer's instructions for application and proper ventilation. Never mix household bleach with ammonia or any other cleanser.

Call Customer Service for a quote 678-879-0777 or email [CustomerService@specialt.net](mailto:CustomerService@specialt.net)



## TABLES, BASES & ACCESSORIES

---

888.705.0777

Configure and price online at [SpecialT.net](https://SpecialT.net)