


#### White Oak



Aged Oak (10)



Cottage Oak (13)



Natural Oak (08)



Pearl Oak (09)

#### Walnut



Hampton Walnut (04)



Uptown Walnut (17)

#### Cherry




Wild Cherry (03)



Biltmore Cherry (15)

#### Ash



Cafelle Ash (21)

#### Maple



Kensington Maple (26)

#### Recon



Carbon Teak (25)

Custom stain matches are available for a fee of \$700 List.


### About Veneer

Veneer table tops are produced from a thinly sliced piece of solid wood that is laminated to a substrate such as MDF or particle board. Desired grain patterns can be achieved by cutting the wood in different directions. Since no two trees are alike, grain patterns and species color can vary even within the same cut.

### Options\*


**Cut:**

Flat




or

Quarter




**Match:**

Reverse Slip




or

Book Match



Slip




**Sheen:**

10




### Grain Orientation

**Long Grain** (Long grain match is standard on one-piece tops)



OR

**Short Grain** (Short grain match is standard on multiple piece tops)



\*Excludes Carbon Teak

### Special-T's Standard

<b>Type of Layup -</b>	Balanced, pleasing or running match
<b>Mineral -</b>	Permitted if blends with overall appearance 1/16" x 8" or 1/4" x 3"
<b>Pin Knot -</b>	Medium, well scattered. Maximum 1/4" dia. no black center. No open knot exceeding 1/16" dia. Must be filled
<b>Spike Knot -</b>	Medium allowed. must be sound, filled, and not fractured.
<b>Flare -</b>	Moderate flares allowed, up to 2/3 of plate width
<b>Ray Fleck -</b>	Moderate allowed running with the grain between 10:00 and 2:00 o'clock. Ma 1/4" wide
<b>Vine Mark -</b>	Moderate allowed. No continuous line effect
<b>Worm Holes -</b>	Not allowed
<b>Worm Tracks -</b>	Slight allowance
<b>Stress Cracks/ Wind Break -</b>	Slight allowance
<b>Total Character allowed -</b>	4 per SQ FT scattered and visually pleasing

### Top Construction

- Structure: 1 1/4" thick 45# density particle board core
- .038 paper backer sheet less than 48"
- .038 phenolic backer equal or greater than 48"
- Tops are pre-drilled for easy installation
- Largest one-piece table top is 12' x 5'
- Biscuits and dog bones are standard for joining tops
- Long grain match is standard on one-piece tops, short grain is standard on multiple piece tops
- Alternative stains are available upon request for an additional fee
- Round and Square tops over 60" are 1 piece, 66" to 96" are 2 pieces. Rectangle, Boat, Oval, and Racetrack tops over 96" are 1 piece, 108" to 144" are 2 pieces

### Shipping

- To minimize shipping damage, veneer top(s) and bases arrive in separate shipments.
- Tops are shipped in wood crates. Crating charge will apply.
- Lead time is 4-6 weeks.

### Edge Options

- All edges are stained to match the veneer
- Square corners are standard, rounded corners are optional

#### Solid Wood on Particle Board

- Standard: 3mm | WE01
- Eased Edge | WE02
- Waterfall | WE03
- Bullnose | WE04
- Alpha | WE06


#### Solid Wood on MDF Board

- Knife Edge | WE07  
undercut is MDF stained to match


#### Birch Plywood on Particle Board

- Knife Edge | WE08
- Dropped Edge | WE09


#### Solid Wood




Wood Edge | WE01  
Standard




Eased Edge | WE02




Waterfall Edge | WE03



Bullnose Edge | WE04




Alpha Edge | WE06




Knife Edge | WE07

#### Birch Plywood on Particle Board



Birch Plywood Knife Edge | WE08



Birch Plywood Dropped Edge | WE09

### Cleaning & Care Instructions

- Use mild soap and warm water, avoid harsh chemicals.
- Quickly wipe up spills with a damp cloth and wipe finish with a dry cloth.
- Use placemats or trivets under hot items and coasters under beverages to prevent marks and stains.
- Use a fine dust brush or cloth to remove dust particles at least once a week to prevent scratches.
- Avoid placing sharp objects on the table top.
- Do not place heavy objects directly on the surface - a protective layer of felt material at the base is highly recommended.

### Warranty

Special-T warrants that all products shall be free of defects in workmanship or materials. All products will be built to customer's specifications. All defective product claims must be submitted in writing to Special-T within 30 days of the shipping date from Special-T. For all defective product claims, Special-T may request samples, photos, or videos demonstrating the defect before further action. No merchandise shall be returned or scrapped without prior approval from Special-T. Special-T reserves the right to refuse and return all unauthorized returns to the customer. Special-T Quality Inspection Department and confirmed to be defective before the replacement process can start. This warranty excludes any time of misuse, abuse, as well as ordinary wear and tear. The foregoing warranty shall not apply to damage caused under the following circumstances; (a) modifications or attachments to the Special-T products; (b) damage caused by misapplication of cleaning product; (c) natural variations in wood grain, figure, color or the presence of character marks; (d) any handling or transportation damage to the products or (e) changes in surface finishes due to aging or exposure to light.